



US00D792705S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,705 S**
Farnum et al. (45) **Date of Patent:** **** Jul. 25, 2017**

(54) **DUAL RETRACTABLE SEAM RIPPER**
(71) Applicant: **DPG USA Inc**, Schaumburg, IL (US)
(72) Inventors: **Ronald C. Farnum**, Lombard, IL (US); **Sabrina Katz**, Chicago, IL (US); **Evan Ward**, Chicago, IL (US); **Daniel Schaumann**, Chicago, IL (US)
(73) Assignee: **DPG USA INC.**, Schaumburg, IL (US)

(**) Term: **15 Years**
(21) Appl. No.: **29/541,886**

(22) Filed: **Oct. 8, 2015**

(51) **LOC (10) Cl.** **03-99**

(52) **U.S. Cl.**
USPC **D3/18**

(58) **Field of Classification Search**
USPC D3/18, 20, 28; 112/128, 129;
30/286-289, 294
CPC D05B 37/04; B26B 29/02; B26B 5/005;
A43D 5/04; B43M 7/002; A61B
17/32002
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D222,660 S * 11/1971 Miles et al. D3/18
D225,700 S * 1/1973 Ament et al. D3/18
D225,701 S * 1/1973 Ament et al. D3/18
3,756,175 A * 9/1973 Rogers D05B 89/00
112/128
3,972,117 A * 8/1976 Fogg B26B 27/00
30/287
4,175,498 A * 11/1979 Walters D05B 89/00
112/129
4,510,688 A * 4/1985 White A41H 31/005
30/294
D282,590 S * 2/1986 Ramik D28/20

D296,042 S * 6/1988 Lee D3/18
D351,059 S * 10/1994 Kahlcke D3/18
D382,702 S * 8/1997 Matuo D3/28
D490,605 S * 6/2004 Earle D3/28
D548,453 S * 8/2007 Mihara D3/28
D701,039 S * 3/2014 Sasur D3/18
D701,040 S * 3/2014 Hatcher D3/18
2005/0262704 A1 * 12/2005 DiSanto A41H 31/005
30/289
2014/0277042 A1 * 9/2014 Racenet A61B 17/320016
606/170

* cited by examiner

Primary Examiner — John Windmuller

Assistant Examiner — Steven Czyz

(74) *Attorney, Agent, or Firm* — Robert S. Alexander;
Ferrells, PLLC; Anna L. Kinney


(57) **CLAIM**

The ornamental design for a dual retractable seam ripper, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a dual retractable seam ripper of the present invention;
FIG. 2 is an upper front perspective view of the dual retractable seam ripper of FIG. 1;
FIG. 3 is a rear elevation view of the dual retractable seam ripper of FIG. 1;
FIG. 4 is a top plan view of the dual retractable seam ripper of FIG. 1;
FIG. 5 is a left elevation view of the dual retractable seam ripper of FIG. 1; the right elevation is substantially identical;
FIG. 6 is a bottom plan view of the dual retractable seam ripper of FIG. 1;
FIG. 7 is an upper rear perspective view of the dual retractable seam ripper of FIG. 1; and,
FIG. 8 is a lower rear perspective view of the dual retractable seam ripper of FIG. 1.

1 Claim, 4 Drawing Sheets






FIG. 3




FIG. 2




FIG. 1

FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8