



US00D792727S

(12) **United States Design Patent**  
**Kataoka et al.**

(10) **Patent No.:** **US D792,727 S**  
(45) **Date of Patent:** **\*\* Jul. 25, 2017**

(54) **VEHICLE SEAT**

(71) Applicant: **TACHI-S Co., Ltd.**, Tokyo (JP)

(72) Inventors: **Kengo Kataoka**, Ome (JP); **Hiroyuki Fujii**, Ome (JP); **Makoto Nomura**, Ome (JP)

(73) Assignee: **TACHI-S CO., LTD.**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/564,175**

(22) Filed: **May 11, 2016**

(30) **Foreign Application Priority Data**

Nov. 13, 2015 (JP) ..... 2015-025454

(51) **LOC (10) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/716.4**

(58) **Field of Classification Search**  
USPC ..... D6/334-336, 356, 367, 368, 374, 375,  
D6/716, 716.1, 716.2, 716.3, 716.4  
CPC ... B60N 2/00; B60N 2/02; B60N 2/20; B60N  
2/22; B60N 2/58; B60N 2/64; B60N  
2/643; B60N 2/66; B60N 2/449; B60N  
2/4882; B60N 2/2872  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D273,157 S \* 3/1984 Staub ..... D6/356
- D391,088 S \* 2/1998 Sacco ..... D6/356
- 6,866,342 B2 \* 3/2005 Enomoto ..... B60N 2/58  
297/482
- 6,899,365 B2 \* 5/2005 Lavelle ..... B60N 2/64  
296/37.15
- D536,188 S \* 2/2007 Moburg ..... D6/356
- D542,041 S \* 5/2007 Moburg ..... D6/356

- D576,811 S \* 9/2008 Wyszogrod ..... D6/356
- D577,921 S \* 10/2008 Tanaka ..... D6/356
- D578,315 S \* 10/2008 Wyszogrod ..... D6/356
- D590,612 S \* 4/2009 Zhang ..... D6/356
- 7,789,462 B2 \* 9/2010 Glover ..... B60N 2/58  
297/253
- 7,823,950 B2 \* 11/2010 Toyota ..... B60N 2/22  
297/248
- D646,097 S \* 10/2011 Langbord ..... D6/716.4
- D650,187 S \* 12/2011 Nakaminami ..... D6/356
- D650,188 S \* 12/2011 Nakaminami ..... D6/356

(Continued)

*Primary Examiner* — Mimoso De

(74) *Attorney, Agent, or Firm* — Fitch, Even, Tabin & Flannery, LLP


(57) **CLAIM**

We claim the ornamental design for a vehicle seat, as shown (and described).

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a vehicle seat showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a left side elevational view thereof;  
 FIG. 6 is a top plan view thereof; and  
 FIG. 7 is a bottom plan view thereof.  
 FIG. 8 is an enlarged cross sectional view taken along line 8-8 in FIG. 2 thereof;  
 FIG. 9 is a cross-sectional view taken along line 9-9 in FIG. 8 thereof; and,  
 FIG. 10 is a cross-sectional view taken along line 10-10 in FIG. 8 thereof.  
 The dashed-dot-dashed lines represent the boundary lines of the claimed design.  
 The broken lines shown in the drawings represent portions of the vehicle seat, that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D650,189	S *	12/2011	Nakaminami	.....	D6/356
8,678,497	B2 *	3/2014	Kyogoku	.....	B60N 2/643
					297/232
D708,880	S *	7/2014	Howard	.....	D6/716.4
D708,881	S *	7/2014	Howard	.....	D6/716.4
D723,825	S *	3/2015	Persson	.....	D6/356
8,991,917	B2 *	3/2015	Kato	.....	B60N 2/58
					297/217.2
D733,440	S *	7/2015	McGarth	.....	D6/335
D733,441	S *	7/2015	McGrath	.....	D6/335
9,088,842	B2 *	7/2015	Silverstein	.....	B60N 2/58
D748,405	S *	2/2016	Sethapun	.....	D6/356
D748,926	S *	2/2016	Henstridge	.....	D6/356
D749,333	S *	2/2016	Henstridge	.....	D6/356
D749,334	S *	2/2016	Henstridge	.....	D6/356
D750,928	S *	3/2016	Line	.....	D6/716.4
9,352,676	B1 *	5/2016	Wright	.....	B60N 2/58
D769,009	S *	10/2016	Erhel	.....	D6/356
9,545,857	B2 *	1/2017	Cooley	.....	B60N 2/20

\* cited by examiner




FIG. 1







FIG. 2




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*




FIG. 8






FIG. 9




FIG. 10