



US00D792742S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,742 S**
Meyers et al. (45) **Date of Patent:** **** Jul. 25, 2017**

- (54) **BOTTLE**
- (71) Applicant: **RUNWAY BLUE, LLC**, Lehi, UT (US)
- (72) Inventors: **David O. Meyers**, East Layton, UT (US); **Steven M. Sorensen**, Alpine, UT (US)
- (73) Assignee: **RUNWAY BLUE, LLC**, Alpine, UT (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/569,420**
- (22) Filed: **Jun. 27, 2016**

Related U.S. Application Data

- (62) Division of application No. 29/514,105, filed on Jan. 8, 2015, now Pat. No. Des. 760,027.
 - (51) **LOC (10) Cl.** **07-01**
 - (52) **U.S. Cl.**
USPC **D7/536**; D7/523; D9/517
 - (58) **Field of Classification Search**
USPC D7/507, 509, 510, 511, 513, 523, 529, D7/532, 533, 534, 300, 300.1, 591, 608, D7/392, 392.1, 396.1, 396.2, 900; D9/500, 501, 502, 503, 504, 516, 517, D9/525, 435, 436, 440, 442, 443, 449, D9/434; D3/202; 222/480, 507, 546, 222/548, 553; 220/210, 212.5, 703, 709, 220/711; 215/12.1, 216
CPC B65D 23/02; B65D 39/0052; B65D 39/0082; B65D 39/0076; B65D 39/007; B65D 43/0277; B65D 43/0279; B65D 43/0285; B65D 43/12
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,768,667 A * 9/1988 Magnusson B65D 41/40 215/255
- D308,828 S * 6/1990 Magnusson D9/438
- D339,503 S * 9/1993 Callaway D7/510
- 5,326,006 A * 7/1994 Giard, Jr. B62J 11/00 215/387
- D350,672 S * 9/1994 Egger D7/510

(Continued)

Primary Examiner — Marianne Pandozzi
Assistant Examiner — Jae Liang
(74) *Attorney, Agent, or Firm* — Maschoff Brennan


(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of a bottle showing our new design;
FIG. 2 is a bottom perspective view of the bottle shown in FIG. 1;
FIG. 3 is a front view of the bottle shown in FIG. 1;
FIG. 4 is a rear view of the bottle shown in FIG. 1;
FIG. 5 is a right side view of the bottle shown in FIG. 1;
FIG. 6 is a left side view of the bottle shown in FIG. 1;
FIG. 7 is a top view of the bottle shown in FIG. 1;
FIG. 8 is a bottom view of the bottle shown in FIG. 1;
FIG. 9 is a top perspective view of a second embodiment of a bottle;
FIG. 10 is a bottom perspective view of the bottle shown in FIG. 9;
FIG. 11 is a front view of the bottle shown in FIG. 9;
FIG. 12 is a rear view of the bottle shown in FIG. 9;
FIG. 13 is a right side view of the bottle shown in FIG. 9;
FIG. 14 is a left side view of the bottle shown in FIG. 9;
FIG. 15 is a top view of the bottle shown in FIG. 9; and,
FIG. 16 is a bottom view of the bottle shown in FIG. 9.

(Continued)



The broken lines in the drawings depict portion of the bottle that are for illustrative purposes only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

5,545,315 A * 8/1996 Lonneman C02F 1/003
210/120
D391,448 S * 3/1998 Winer D7/510
D398,478 S * 9/1998 Spencer D7/510
D427,909 S * 7/2000 Doritty D9/500
D528,862 S * 9/2006 Li D7/510
D566,468 S * 4/2008 Sandy D7/509
D600,973 S * 9/2009 Lane D7/387
D608,204 S * 1/2010 Caroen D9/443
D608,640 S * 1/2010 Carreno D9/449
D609,969 S * 2/2010 McKinney D7/510
D626,409 S * 11/2010 Hooley D7/622
8,051,674 B2 * 11/2011 Roth A45F 3/16
62/457.3
D657,194 S * 4/2012 McIntire D7/510

D660,081 S * 5/2012 Gilbert D7/396.2
D675,865 S * 2/2013 Wahl D7/392.1
D689,331 S * 9/2013 Staton D7/510
D690,162 S * 9/2013 Staton D7/510
D690,556 S * 10/2013 Boroski D7/510
D691,420 S * 10/2013 McIntire D7/510
D707,492 S * 6/2014 George D7/510
D724,894 S * 3/2015 Brosius D7/510
D724,895 S * 3/2015 Kawase D7/510
D725,436 S * 3/2015 Miller D7/396.2
D725,967 S * 4/2015 Peng D7/511
D736,562 S * 8/2015 Green D7/510
D741,637 S * 10/2015 Palermo D7/300.1
D749,416 S * 2/2016 Herbst D9/447
D758,800 S * 6/2016 Hayslett D7/300.1
D760,027 S * 6/2016 Meyers D7/510
D772,652 S * 11/2016 Yao D7/510
D774,357 S * 12/2016 Palin D7/510
D777,518 S * 1/2017 Frazier D7/510
2005/0115966 A1 * 6/2005 Leoncavallo B65D 25/56
220/212.5
2014/0027365 A1 * 1/2014 Lee A45F 3/16
210/232
2014/0144870 A1 * 5/2014 Brosius A45F 3/18
215/387
2016/0200486 A1 * 7/2016 Meyers A47G 19/2266
215/229

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16