

US00D792783S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,783 S**
Snider et al. (45) **Date of Patent:** **** Jul. 25, 2017**

(54) **CONTAINER HAVING SURFACE INDICIA**

B65D 33/04; B65D 33/24; A61J 1/00;
A61J 1/10

(71) Applicant: **The Procter & Gamble Company**,
Cincinnati, OH (US)

See application file for complete search history.

(72) Inventors: **Luke Anthony Snider**, Cincinnati, OH
(US); **Jack Wesley English, III**,
Liberty Township, OH (US); **Robert**
Eugene Heard, Covington, KY (US);
Amy Meyers Krehbiel, Cincinnati, OH
(US)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D589,792 S *	4/2009	Clabough	D9/434
D597,850 S *	8/2009	Quick	D20/11
D639,673 S *	6/2011	Graham	D9/434
D660,160 S *	5/2012	Bouma	D9/516
D721,280 S *	1/2015	Keukens	D9/434
D722,506 S *	2/2015	Dahm	D9/434
D756,218 S *	5/2016	Read	D9/434
D762,122 S *	7/2016	Spenceman	D9/434

(Continued)

(73) Assignee: **The Procter & Gamble Company**,
Cincinnati, OH (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **15 Years**

WO DM/083869 5/2014

(21) Appl. No.: **29/561,346**

OTHER PUBLICATIONS

(22) Filed: **Apr. 15, 2016**

Commercially available Products, photographs taken on Nov. 23,
2015. (6 packages).

(51) **LOC (10) Cl.** **09-05**

(Continued)

(52) **U.S. Cl.**

USPC **D9/703**

(58) **Field of Classification Search**

USPC D9/702-714, 720-722, 414, 434-435,
D9/447, 516-517, 440, 424, 430-432,
D9/500-504, 550; D24/118, 207;
383/61.1, 80-81, 901, 203, 107, 119-120,
383/123, 67; 222/107, 92, 206, 215;
604/408, 403; 220/495.03, 675;
215/381-385, 400; D5/4-6, 8-19, 20-22,
D5/24, 32, 36; D3/202; 428/34.3;
128/DIG. 24; 426/106; D18/43, 56;
D28/85, 88, 84, 831, 99; 229/116.1,
229/116.2, 103.2, 87.18

CPC B65D 1/0223; B65D 79/005; B65D 81/00;
B65D 81/36; B65D 33/00; B65D 33/02;

Primary Examiner — Abraham T Bahta

(74) *Attorney, Agent, or Firm* — Melissa Krasovec;
Leonard W Lewis; Steven W Miller


(57) **CLAIM**

The ornamental design for a container having surface indi-
cia, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of an embodiment of a
container having surface indicia;
FIG. 2 is a rear view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

(Continued)



The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D772,072 S * 11/2016 Klopp D9/434
D777,040 S * 1/2017 Labahn-Childs D9/434

OTHER PUBLICATIONS

Instructions on a top-loading washing machine. (Photograph taken on Nov. 17, 2016.

American Cleaning Institute, High Efficiency Washers and Dryers—Working in Harmony to Save Energy and Water, pp. 1-16, © 2005, 2010 American Cleaning Institute. www.cleaninginstitute.org.

U.S. Appl. No. 15/099,670, filed Apr. 15, 2016, Luke Anthony Snider.

U.S. Appl. No. 15/099,673, filed Apr. 15, 2016, Jack Wesley English III.

U.S. Appl. No. 29/561,343, filed Apr. 15, 2016, Luke Anthony Snider.

U.S. Appl. No. 29/561,344, filed Apr. 15, 2016, Luke Anthony Snider.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7