

US00D792922S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,922 S**
Benson (45) **Date of Patent:** **** Jul. 25, 2017**

(54) **DRUM RESTRAINT HOOK**
(71) Applicant: **Gary Benson**, Novato, CA (US)
(72) Inventor: **Gary Benson**, Novato, CA (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/448,966**
(22) Filed: **Mar. 14, 2013**
(51) **LOC (10) Cl.** **17-04**
(52) **U.S. Cl.**
USPC **D17/22; D8/367; D8/356**
(58) **Field of Classification Search**
USPC D17/13, 20, 22, 99, 4; D8/349, 356, 367,
D8/371, 499; D3/327, 318
CPC G10D 13/026; G10D 13/00; G10G 5/00;
G10G 5/005; Y10T 24/2121; Y10T
24/2175; Y10T 24/4773; Y10T 24/4755;
Y10T 24/47; Y10T 24/4736
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,367,052 A 1/1945 Rentie
3,096,677 A 7/1963 Ryan
3,710,670 A 1/1973 Winkler
D270,918 S * 10/1983 Williamson et al. D17/20
D278,291 S * 4/1985 Gurule D6/328
D348,214 S * 6/1994 Girardin D8/367
D360,127 S * 7/1995 Stiner D20/42
5,431,320 A * 7/1995 Hash 224/258
5,677,502 A 10/1997 Laido
D476,815 S * 7/2003 Richter D3/328
D513,034 S * 12/2005 Boron et al. D17/20
D514,151 S * 1/2006 Fowler, Jr. D17/20
D533,362 S * 12/2006 Giampavolo D6/328
D535,111 S * 1/2007 Giampavolo D6/328
D624,307 S * 9/2010 Case D3/207
D642,895 S * 8/2011 Kelleghan D8/356

8,022,282 B1 9/2011 Burns
9,053,687 B1 * 6/2015 Benson G10G 5/005
D746,662 S * 1/2016 Kelleghan D8/356
9,328,765 B2 * 5/2016 Perner F16B 45/02
D762,107 S * 7/2016 French D8/367
9,433,261 B1 * 9/2016 Miles A44B 13/0029
D772,029 S * 11/2016 Spater D8/18
D773,911 S * 12/2016 Louis D8/34
D778,132 S * 2/2017 Fischer D8/17
D780,559 S * 3/2017 Paik D8/356
2003/0061930 A1 4/2003 Green
2005/0156090 A1 7/2005 Drayton, Jr.
2007/0131085 A1 * 6/2007 Abbick 84/327
2011/0203441 A1 * 8/2011 Naylor 84/327

FOREIGN PATENT DOCUMENTS

DE 102005054117 A1 6/2006

* cited by examiner

Primary Examiner — Sandra Snapp
Assistant Examiner — Ieisha Price
(74) *Attorney, Agent, or Firm* — Edward S. Sherman

(57) **CLAIM**

The ornamental design for a “drum restraint hook,” as shown and described.

DESCRIPTION

FIG. 1 is perspective view of the drum restraint hook, showing my new design.
FIG. 2 is a top plan view, the bottom plan view being the mirror image thereof,
FIG. 3 is a front elevation view thereof;
FIG. 4 is a back elevation view thereof;
FIG. 5 is a right side view of thereof; and,
FIG. 6 is a left side view thereof.
The broken line showing in FIG. 1 illustrates the environment of the claimed design and forms no part thereof.

1 Claim, 2 Drawing Sheets




FIG. 1






FIG. 5




FIG. 4

FIG. 2

FIG. 3



FIG. 6