

US00D792932S

(12) **United States Design Patent** (10) **Patent No.:** **US D792,932 S**
Taylor et al. (45) **Date of Patent:** **** Jul. 25, 2017**

(54) **BATTING TRAINER**

(71) Applicant: **B-RAM SPORTS, LLC**, Byhalia, MS (US)

(72) Inventors: **Stephanie A. Taylor**, Byhalia, MS (US); **Chelsea Leigh Malone**, Olive Branch, MS (US); **Michael Lynn Bramlett, Sr.**, Byhalia, MS (US)

(73) Assignee: **B-Ram Sports, LLC**, Byhalia, MS (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/567,564**

(22) Filed: **Jun. 10, 2016**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/780; D21/719**

(58) **Field of Classification Search**
USPC D21/309, 466, 698, 707, 713, 715, 719, D21/722, 723, 780, 789, 791, 799.1; 473/423–430; D8/354–356, 360, 367, D8/372, 373, 376, 377, 380
CPC A63B 69/0057; A63B 69/0059; A63B 69/3608; A63B 69/00; A63B 69/0002; A63B 69/0015; A63B 2069/0004; A63B 2069/0006; A63B 2069/0008; A63B 69/0073; A63B 69/0079; A63B 69/0084; A63B 69/0086; A63B 69/0088; A63B 69/0091; A63B 65/122; A63B 65/125; A63B 69/38; A63B 69/385
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,664,388 A * 5/1987 Huber A63B 67/20 273/DIG. 20
4,944,513 A * 7/1990 Zentner A63B 69/0084 473/428

5,072,937 A * 12/1991 Zarate A63B 69/0084 473/426
D326,493 S * 5/1992 Perry D21/791
5,165,682 A * 11/1992 McGuckin A63B 43/04 473/424
5,397,122 A * 3/1995 Herridge, II A63B 21/0004 473/212
5,476,257 A * 12/1995 Bobby A63B 69/0059 473/464
6,033,323 A * 3/2000 McCown A63B 69/0088 273/335
6,042,491 A * 3/2000 Dixon, Jr. A63B 69/0002 473/423
6,837,808 B1 * 1/2005 Hatch A63B 69/0088 473/424
9,283,465 B1 * 3/2016 Moragne A63B 69/3623
9,314,681 B2 * 4/2016 Palardis A63B 69/0002
2004/0033848 A1 * 2/2004 Bragg A63B 69/0002 473/423
2007/0101950 A1 * 5/2007 Medlin A01K 15/02 119/792

(Continued)

Primary Examiner — Catherine Tuttle
(74) *Attorney, Agent, or Firm* — Veritay Group, IP; Susan B. Fentress


(57) **CLAIM**

The ornamental design for a batting trainer, substantially as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a batting trainer showing our new design.
FIG. 2 is a front view thereof.
FIG. 3 is a right side view thereof.
FIG. 4 is a rear view thereof.
FIG. 5 is a left side view thereof.
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 4 Drawing Sheets



References Cited

2009/0291780	A1 *	11/2009	Gutierrez	A63B 69/0002 473/426
2011/0183781	A1 *	7/2011	Chiu	A63B 69/0073 473/417
2012/0238382	A1 *	9/2012	Allison	A63B 67/10 473/428
2013/0116068	A1 *	5/2013	Traynor	A63B 69/0002 473/428
2014/0235373	A1 *	8/2014	Palardis	A63B 69/0002 473/428
2015/0057132	A1 *	2/2015	Pedone	A63B 69/004 482/83
2015/0157911	A1 *	6/2015	Palardis	A63B 69/0002 473/428

* cited by examiner




FIG. 1




FIG. 2





FIG. 3

FIG. 5




FIG. 4




FIG. 6




FIG. 7