



US00D793089S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,089 S**
Jackson (45) **Date of Patent:** **** Aug. 1, 2017**

- (54) **WEBBING BAG STRAP**
- (71) Applicant: **Joseph Jackson**, Tempe, AZ (US)
- (72) Inventor: **Joseph Jackson**, Tempe, AZ (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/560,925**
- (22) Filed: **Apr. 12, 2016**
- (51) **LOC (10) Cl.** **03-01**
- (52) **U.S. Cl.**
USPC **D3/327**
- (58) **Field of Classification Search**
USPC D3/318, 327
CPC .. A45C 1/10; A45C 1/102; A45C 3/00; A45C 3/02; A45C 3/04; A45C 3/06; A45C 3/08; A45C 3/10
See application file for complete search history.

D663,955 S * 7/2012 Swaggart D3/327
 2007/0039086 A1 2/2007 Moore
 2014/0252059 A1 9/2014 Paduano et al.

OTHER PUBLICATIONS

Author: Will Rietveld, Title: Ultralight Adventure Equipment (ULA) Relay Backpack Review—Backpacking Light, Date of article: Jun. 28, 2006, Date of website access: Apr. 8, 2016, URL: [https://backpackinglight.com/ultralight_adventure_ula_relay_backpack_review/](https://backpackinglight.com/ultralight_adventure_equipment_ula_relay_backpack_review/).

* cited by examiner

Primary Examiner — Holly Baynham

(74) *Attorney, Agent, or Firm* — Lisa Foundation Patent Law Clinic

(57) **CLAIM**

The ornamental design of a webbing bag strap, as shown and described.

(56) **References Cited**


U.S. PATENT DOCUMENTS

1,894,888	A	1/1933	Ponton	
2,002,946	A	5/1935	Jacobs	
2,938,254	A	11/1958	Gaylord	
3,701,559	A	10/1972	Marino et al.	
4,896,630	A	1/1990	Luce	
4,967,421	A	11/1990	Grilliot et al.	
5,181,638	A	1/1993	McHale	
5,433,339	A	7/1995	Sarver	
5,676,178	A	10/1997	Ehnimb	
D411,039	S *	6/1999	Reimers	224/645
5,915,336	A	6/1999	Watson	
6,139,060	A	10/2000	Lenhart	
6,435,391	B1	8/2002	Vazquez	
6,655,564	B1	12/2003	Zupan	
D570,603	S *	6/2008	Wu	D3/327
D623,861	S *	9/2010	Kope	F16M 11/041 D3/327
D650,589	S *	12/2011	Overton	D3/327

DESCRIPTION

FIG. 1 is a perspective view showing the right side, rear side, and front side of an embodiment of an ornamental design for a webbing bag strap.
 FIG. 2 is a front view of the straightened webbing bag strap.
 FIG. 3 is a rear view of the straightened webbing bag strap.
 FIG. 4 is an abbreviated straightened left side view of the webbing bag strap.
 FIG. 5 is a perspective view showing the left side, rear side, and front side of an embodiment of the webbing bag strap when it is tied in a loop.
 FIG. 6 is a top view of the webbing bag strap; and,
 FIG. 7 is a bottom view of the webbing bag strap.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7