



US00D793093S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,093 S**
Rowbottom (45) **Date of Patent:** **** Aug. 1, 2017**

(54) **HIGH VISIBILITY SHEET MATERIAL**

(71) Applicant: **NKR (Cheshire) Limited**, Crewe,
Cheshire (GB)

(72) Inventor: **Nicholas James Rowbottom**, Crewe
(GB)

(73) Assignee: **NKR (CHESHIRE) LIMITED**,
Crewe, Cheshire (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/532,342**

(22) Filed: **Jul. 6, 2015**

(30) **Foreign Application Priority Data**

Jul. 1, 2015 (EM) 002729905-0001

(51) **LOC (10) Cl.** **05-06**

(52) **U.S. Cl.**
USPC **D5/7**

(58) **Field of Classification Search**
USPC D5/1-4, 18, 30, 43, 47, 53, 55, 56, 60,
D5/63, 64, 99, 7; D19/1, 5; D20/27, 28;
D25/138, 150, 151, 156
CPC B44F 3/00; B44F 7/00; B44F 9/12; B44F
11/04; B31F 1/07; D03D 3/00; D03D
9/00; D06N 7/00; D21H 5/02; D21H
27/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D18,933 S * 2/1889 Harley D5/7
1,440,358 A * 12/1922 Whetstone D21J 1/16
428/169
D82,124 S * 9/1930 Van Benthuysen D5/56
D88,012 S * 10/1932 Willheim D5/56
D88,054 S * 10/1932 Willheim D5/56

D88,154 S * 11/1932 Katzman D5/56
D88,610 S * 12/1932 Willheim D5/56
D89,476 S * 3/1933 Willheim D5/56
D90,282 S * 7/1933 Gottesman D5/56
D91,877 S * 4/1934 Hamre D5/56
D94,130 S * 12/1934 Greenawalt D5/47
D102,120 S * 11/1936 Rollinson D5/56
3,185,034 A * 5/1965 Youngblood, Jr. E04C 2/54
359/595
D243,278 S * 2/1977 Appleman D5/56
D244,545 S * 5/1977 Tellman D25/163
D388,647 S * 1/1998 Odell D10/109.1
D425,212 S * 5/2000 Lamberts D25/109
D480,220 S * 10/2003 Cheynet D5/7
D485,991 S * 2/2004 Boehm D5/7

(Continued)

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Egbert Law Offices,
PLLC

(57) **CLAIM**

The ornamental design for a high visibility sheet material, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a high visibility sheet material showing my new design.


FIG. 2 is a side elevation view thereof, an opposite side view being identical;

FIG. 3 is a perspective view thereof; and,

FIG. 4 is a rear view thereof.

The oblique lines on parts of the design shown in FIGS. 1 and 3 indicate the reflective quality of these elements on the front of the design. The figures show two symbolic breaks along the length of the design drawn in dot dash dot broken lines. The break lines and portions of the article between the break lines form no part of the claimed design. The dot dash dot break lines and the broken lines at the top and bottom edges of the figures depict the boundaries of the claim and form no part thereof.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D639,934 S *	6/2011	Noel	D24/124
D654,659 S *	2/2012	Scott-Curran	D2/717
D684,704 S *	6/2013	Lamberts	D25/103
D685,159 S *	7/2013	Lambertz	D2/829
D720,119 S *	12/2014	Pankhurst	D2/717
D750,388 S *	3/2016	Rowbottom	D5/60
D770,142 S *	11/2016	McArthur	D2/731

* cited by examiner




Fig. 1



Fig. 2




Fig. 3




Fig. 4