



US00D793346S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,346 S**  
**Folk et al.** (45) **Date of Patent:** **\*\* Aug. 1, 2017**

(54) **FACE PLATE FOR A REMOTE USER INTERFACE**

(71) Applicant: **Trippe Manufacturing Company,**  
Chicago, IL (US)

(72) Inventors: **James C. Folk,** Saint Joseph, MI (US);  
**Paul J. Dickerson,** Chicago, IL (US)

(73) Assignee: **TRIPPE MANUFACTURING COMPANY,** Chicago, IL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/561,019**

(22) Filed: **Apr. 12, 2016**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**  
USPC ..... **D13/162**

(58) **Field of Classification Search**  
USPC ..... D13/162, 164, 168, 171, 177; D10/49,  
D10/50

CPC ..... F24F 11/00; F24F 11/001; F24F 11/0012;  
F24F 11/0086; F24F 11/0009; F24F  
2011/0057; F24F 2011/0073; F24F  
2011/0091; G05B 19/0426; G05B 19/409;  
G05B 15/02; G05D 23/1902; G05D  
23/1905; G05D 23/1931; H05K 5/0017;  
H05K 5/0213; H05B 37/02; H05B  
37/0209; H05B 39/04; H01H 9/0235  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D344,684 S \* 3/1994 Metz ..... D10/103  
D380,737 S \* 7/1997 Weir ..... D13/162  
5,850,333 A \* 12/1998 Owanesian ..... H05K 5/0213  
165/185  
D464,328 S \* 10/2002 Vasquez ..... D13/164  
D512,691 S \* 12/2005 Hisatsune ..... D13/164

D578,026 S \* 10/2008 Roher ..... D10/50  
D582,801 S \* 12/2008 Comerford ..... D10/50  
D642,132 S \* 7/2011 Brennan, III ..... D13/162  
D642,992 S \* 8/2011 Sasaki ..... D13/164  
D679,205 S \* 4/2013 Eyring ..... D10/50  
D695,234 S \* 12/2013 Santiago ..... D13/162  
D761,741 S \* 7/2016 Santiago ..... D13/162

(Continued)

**OTHER PUBLICATIONS**

Trippe Manufacturing Company (d/b/a Tripp Lite) Mobile Power Module Faceplate, available at least as early as Dec. 18, 2012 (1 page).

(Continued)

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**

We claim the ornamental design for a face plate for a remote user interface, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a face plate for a remote user interface.

FIG. 2 is a top plan view of the face plate for a remote user interface of FIG. 1

FIG. 3 is a right side elevation view of the face plate for a remote user interface of FIG. 1.


FIG. 4 is a left side elevation view of face plate for a remote user interface of FIG. 1.

FIG. 5 is a rear elevation view of the face plate for a remote user interface of FIG. 1; and,

FIG. 6 is a front elevation view of the face plate for a remote user interface of FIG. 1.

The broken lines showing portions of the remote user interface are for the purpose of illustrating environmental structure and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D769,743 S \* 10/2016 Li ..... D10/50  
2002/0020749 A1 \* 2/2002 Kato ..... G06F 3/0238  
235/462.45

OTHER PUBLICATIONS

Powervar, Inc. Mobile Power Manager Faceplate, available at least as early as Dec. 18, 2012 (1 page).

\* cited by examiner




FIG. 1







FIG. 2




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**