



US00D793346S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,346 S**
Folk et al. (45) **Date of Patent:** **** Aug. 1, 2017**

(54) **FACE PLATE FOR A REMOTE USER INTERFACE**

(71) Applicant: **Trippe Manufacturing Company,**
Chicago, IL (US)

(72) Inventors: **James C. Folk,** Saint Joseph, MI (US);
Paul J. Dickerson, Chicago, IL (US)

(73) Assignee: **TRIPPE MANUFACTURING COMPANY,** Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/561,019**

(22) Filed: **Apr. 12, 2016**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/162**

(58) **Field of Classification Search**
USPC D13/162, 164, 168, 171, 177; D10/49,
D10/50

CPC F24F 11/00; F24F 11/001; F24F 11/0012;
F24F 11/0086; F24F 11/0009; F24F
2011/0057; F24F 2011/0073; F24F
2011/0091; G05B 19/0426; G05B 19/409;
G05B 15/02; G05D 23/1902; G05D
23/1905; G05D 23/1931; H05K 5/0017;
H05K 5/0213; H05B 37/02; H05B
37/0209; H05B 39/04; H01H 9/0235
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,684 S * 3/1994 Metz D10/103
D380,737 S * 7/1997 Weir D13/162
5,850,333 A * 12/1998 Owanesian H05K 5/0213
165/185
D464,328 S * 10/2002 Vasquez D13/164
D512,691 S * 12/2005 Hisatsune D13/164

D578,026 S * 10/2008 Roher D10/50
D582,801 S * 12/2008 Comerford D10/50
D642,132 S * 7/2011 Brennan, III D13/162
D642,992 S * 8/2011 Sasaki D13/164
D679,205 S * 4/2013 Eyring D10/50
D695,234 S * 12/2013 Santiago D13/162
D761,741 S * 7/2016 Santiago D13/162

(Continued)

OTHER PUBLICATIONS

Trippe Manufacturing Company (d/b/a Tripp Lite) Mobile Power Module Faceplate, available at least as early as Dec. 18, 2012 (1 page).

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP

(57) **CLAIM**

We claim the ornamental design for a face plate for a remote user interface, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a face plate for a remote user interface.

FIG. 2 is a top plan view of the face plate for a remote user interface of FIG. 1

FIG. 3 is a right side elevation view of the face plate for a remote user interface of FIG. 1.


FIG. 4 is a left side elevation view of face plate for a remote user interface of FIG. 1.

FIG. 5 is a rear elevation view of the face plate for a remote user interface of FIG. 1; and,

FIG. 6 is a front elevation view of the face plate for a remote user interface of FIG. 1.

The broken lines showing portions of the remote user interface are for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D769,743 S * 10/2016 Li D10/50
2002/0020749 A1 * 2/2002 Kato G06F 3/0238
235/462.45

OTHER PUBLICATIONS

Powervar, Inc. Mobile Power Manager Faceplate, available at least as early as Dec. 18, 2012 (1 page).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6