



US00D793466S

(12) **United States Design Patent**
Clark

(10) **Patent No.:** **US D793,466 S**

(45) **Date of Patent:** **** Aug. 1, 2017**

(54) **CAMERA LENS FILTER WITH TRACTION FRAME**

(71) Applicant: **Graham Clark**, Clark, CO (US)

(72) Inventor: **Graham Clark**, Clark, CO (US)

(73) Assignee: **Breakthrough Photography, LLC**,
Clark, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/546,885**

(22) Filed: **Nov. 27, 2015**

(51) **LOC (10) Cl.** **16-05**

(52) **U.S. Cl.**
USPC **D16/219**

(58) **Field of Classification Search**
USPC D16/134, 136, 219, 237, 263, 267, 268
CPC G03B 11/00; G03B 17/00; G03B 17/12;
G03B 11/041; G03B 11/06; G06F 21/316;
G02B 7/00; G02B 11/04; G02B 23/16;
G02B 7/021; H04N 5/2251; H04N
5/2254; F21L 4/005; F41G 1/383; B29C
45/14065

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,390,242	A *	6/1983	Tatsumi	G03B 11/00	359/892
4,684,231	A *	8/1987	Athy	G03B 11/00	359/892
4,901,098	A *	2/1990	Salles	G03B 17/12	396/544
5,040,011	A *	8/1991	Tiffen	G03B 11/00	359/892
5,444,507	A *	8/1995	Palmer	H04N 5/2254	348/E5.028
5,528,328	A *	6/1996	O’Farrill	G03B 11/00	396/544

5,537,175	A *	7/1996	Kamaya	G03B 11/06	348/E5.025
5,862,428	A *	1/1999	An	G03B 17/12	359/889
7,755,668	B1 *	7/2010	Johnston	H04N 5/2251	348/148
7,775,671	B2 *	8/2010	Huang	G03B 11/06	359/511
8,014,666	B2 *	9/2011	Neiman	G03B 17/00	348/342

(Continued)

OTHER PUBLICATIONS

“Review: Breakthrough Photography X3 Traction ND Filter”,
posted at definitionmagazine.com, Jun. 13, 2015, [site visited Aug.
19, 2016]. Available from Internet: <[http://www.
definitionmagazine.com/journal/2015/6/13/review-breakthrough-
photography-x3-traction-nd-filter](http://www.definitionmagazine.com/journal/2015/6/13/review-breakthrough-photography-x3-traction-nd-filter)>.*

(Continued)

Primary Examiner — Karen Kearney

Assistant Examiner — John Otte

(74) *Attorney, Agent, or Firm* — Christopher Pilling


(57) **CLAIM**

The ornamental design for a camera lens filter with traction frame, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a camera lens filter with traction frame in accordance with the present invention; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4. is a top view thereof, the bottom view being a mirror image; and, FIG. 5 is a side view thereof, the opposite side view being a mirror image. In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5