



US00D793499S

(12) **United States Design Patent**
Ormsbee et al.

(10) **Patent No.:** **US D793,499 S**

(45) **Date of Patent:** **** Aug. 1, 2017**

(54) **LED BALL**

(71) Applicant: **Nite Ize, Inc.**, Boulder, CO (US)

(72) Inventors: **Bowden Ormsbee**, Longmont, CO (US); **Rex W. Stevens**, Longmont, CO (US)

(73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/550,600**

(22) Filed: **Jan. 5, 2016**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/707**

(58) **Field of Classification Search**
USPC D21/707-714, 373, 386, 398, 405, 406, D21/498, 502, 503; D30/160; D11/121; 473/569, 570, 571, 575, 595, 596, 473/612-615; 119/707-711
CPC A63B 37/0001; A63B 37/10; A63B 37/14; A63B 39/00; A63B 39/06; A63B 2039/003; A63B 43/00; A63B 43/002; A63B 43/02; A63B 43/04; A63B 43/06; A63B 2043/001; A63B 65/00; A63B 65/12; A63B 65/122; A63H 33/18; A01K 15/025

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D264,364 S *	5/1982	Pazurek	D21/713
D265,573 S *	7/1982	Clarke	D21/406
4,974,844 A *	12/1990	Richards	A63B 43/002 273/DIG. 20
D453,240 S *	1/2002	Simon	D30/160
D467,287 S *	12/2002	Manville	D21/498
D469,824 S *	2/2003	Manville	D21/498

D473,021 S *	4/2003	Gourley	D30/160
D511,029 S *	10/2005	Willinger	D21/713
D539,367 S *	3/2007	Jones	D21/713
D540,496 S *	4/2007	Axelrod	D30/160
7,608,003 B1 *	10/2009	Fusco	A63B 43/00 473/613
D640,018 S *	6/2011	Rutherford	D30/160
D707,303 S *	6/2014	Saber	D21/398
9,295,921 B2 *	3/2016	Renforth	A63H 33/26
2003/0186616 A1 *	10/2003	Manville	A63H 33/101 446/85
2005/0032457 A1 *	2/2005	Gick	A01K 15/025 446/409
2010/0041302 A1 *	2/2010	Rutherford	A63H 5/00 446/188
2013/0029794 A1 *	1/2013	Kortegast	A63B 43/06 473/570
2013/0074780 A1 *	3/2013	Wechsler	A01K 15/026 119/710

(Continued)

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**



The ornamental design for an LED ball, as shown and described.

DESCRIPTION

FIG. 1 is a top and front perspective view of the LED ball showing my new design;
FIG. 2 is a rear and bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The broken lines in the drawings are included for the purpose of illustrating portions of the LED ball that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0020748 A1* 1/2015 Wechsler A01K 15/025
119/711

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

