



US00D793625S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,625 S**
Hauserman et al. (45) **Date of Patent:** **** Aug. 1, 2017**

(54) **HELMET**

(71) Applicant: **INTELLECTUAL PROPERTY HOLDINGS, LLC**, Cleveland, OH (US)

(72) Inventors: **Jon A. Hauserman**, Parma, OH (US); **Ron Szalkowski**, Lakewood, OH (US); **Brandon Hefer**, Saint Louis, MO (US)

(73) Assignee: **Intellectual Property Holdings, LLC**, Cleveland, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/507,041**

(22) Filed: **Oct. 23, 2014**

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D29/102**



(58) **Field of Classification Search**
USPC D29/102-107, 122
CPC A63B 71/10; A63B 71/222; A63B 71/04; A63B 71/166; A63B 71/228; A63B 71/32; A63B 71/105; A01K 55/00; A42B 3/222; A42B 3/166; A42B 3/04; A42B 3/228; A42B 3/32; A42B 3/105; A42B 3/322

See application file for complete search history.

4,044,399 A	8/1977	Morton	
4,101,983 A	7/1978	Dera et al.	
4,114,197 A	9/1978	Morton	
4,279,038 A	7/1981	Bruckner et al.	
D265,520 S *	7/1982	Gooding	D29/102
4,338,371 A	7/1982	Dawn et al.	
4,345,338 A	8/1982	Frieder, Jr. et al.	
4,513,449 A	4/1985	Donzis	
4,558,470 A	12/1985	Mitchell et al.	
4,566,678 A	1/1986	Anderson	
4,695,496 A	9/1987	Lee	
4,700,403 A	10/1987	Vacanti	
4,808,469 A	2/1989	Hiles	
4,842,931 A	6/1989	Zook	
4,872,220 A	10/1989	Haruvy et al.	
4,923,650 A	5/1990	Antoon, Jr. et al.	
D310,893 S	9/1990	Broersma	
5,014,691 A	5/1991	Cueman et al.	
5,025,504 A	6/1991	Benston et al.	
5,027,803 A	7/1991	Scholz et al.	
5,083,361 A	1/1992	Rudy	
5,086,033 A	2/1992	Armor et al.	
5,263,203 A	11/1993	Kraemer et al.	
5,271,103 A	12/1993	Darnell	
5,274,846 A	1/1994	Kolsky	
5,324,460 A	6/1994	Briggs	
5,330,249 A	7/1994	Weber et al.	
5,376,318 A	12/1994	Ho	
5,421,035 A	6/1995	Klose et al.	
5,423,087 A	6/1995	Krent et al.	
5,439,733 A	8/1995	Paire	
D364,487 S	11/1995	Tutton et al.	
5,477,558 A	12/1995	Volker et al.	
5,543,194 A	8/1996	Rudy	
5,581,818 A	12/1996	Lorenzi et al.	
5,591,379 A	1/1997	Shores	
5,598,588 A	2/1997	Lee	
5,611,153 A	3/1997	Fisher et al.	
5,655,226 A	8/1997	Williams	
5,669,079 A	9/1997	Morgan	
5,734,994 A	4/1998	Rogers	
5,741,568 A	4/1998	Rudy	
5,766,704 A	6/1998	Allen et al.	
5,891,372 A	4/1999	Besset et al.	
5,913,412 A	6/1999	Huber et al.	
5,915,537 A	6/1999	Dallas et al.	
5,946,734 A	9/1999	Vogan	
5,950,244 A	9/1999	Fournier et al.	
5,992,054 A	11/1999	Rauch	
6,051,624 A	4/2000	Bastin et al.	
D424,246 S *	5/2000	Ho	D29/102
D426,032 S	5/2000	Ho	
6,070,271 A	6/2000	Williams	

(56) **References Cited**
U.S. PATENT DOCUMENTS

666,130 A	1/1901	Cole
957,394 A	5/1910	Thoma
1,012,597 A	12/1911	Church
1,539,283 A	5/1925	Staats-Oels
1,552,965 A	9/1925	Smith
1,560,825 A	11/1925	Kelticka
1,958,050 A	5/1934	Koppelman
2,074,331 A	3/1937	Haider
3,500,475 A	3/1970	Otsuka
3,508,992 A	4/1970	Chavannes et al.
3,994,020 A	11/1976	Villari
4,029,534 A	6/1977	Bocks et al.



6,093,468	A	7/2000	Toms et al.	
6,105,162	A	8/2000	Douglas et al.	
6,105,176	A	8/2000	Egger	
6,108,825	A	8/2000	Bell et al.	
6,154,889	A	12/2000	Moore, III et al.	
6,219,850	B1	4/2001	Halstead et al.	
D447,604	S	9/2001	Watters et al.	
6,298,497	B1	10/2001	Chartrand	
6,326,077	B1	12/2001	Monaci	
6,351,854	B1	3/2002	Whalen et al.	
D455,522	S	4/2002	Royer et al.	
6,381,759	B1	5/2002	Katz	
6,383,431	B1	5/2002	Dobrin et al.	
6,391,935	B1	5/2002	Hager et al.	
6,425,141	B1	7/2002	Ewing et al.	
6,434,755	B1	8/2002	Halstead et al.	
6,446,270	B1	9/2002	Durr	
6,453,476	B1	9/2002	Moore, III	
D464,174	S	10/2002	Lu	
6,467,099	B2	10/2002	Dennis et al.	
6,485,446	B1	11/2002	Brother et al.	
6,499,147	B2	12/2002	Schiebl et al.	
6,532,602	B2	3/2003	Watters et al.	
D475,486	S	6/2003	Ide et al.	
6,604,246	B1	8/2003	Obreja	
D481,171	S	10/2003	Ho	
6,634,045	B1	10/2003	DuDonis et al.	
6,658,671	B1	12/2003	Von Holst et al.	
6,671,889	B2	1/2004	Dennis et al.	
6,679,967	B1	1/2004	Carroll, III et al.	
6,681,409	B2	1/2004	Dennis et al.	
6,682,128	B2	1/2004	Carroll, III et al.	
6,752,450	B2	6/2004	Carroll, III et al.	
6,803,005	B2	10/2004	Dennis et al.	
6,926,947	B1	8/2005	Seckel	
D521,191	S	5/2006	Berger	
D529,233	S	* 9/2006	Schneider	D29/102
D535,059	S	* 1/2007	Lam	D29/102
D541,480	S	4/2007	Turner	
7,240,376	B2	7/2007	Ide et al.	
7,255,910	B1	8/2007	Seckel	
7,299,505	B2	11/2007	Dennis et al.	
7,316,036	B2	1/2008	Rudolf et al.	
7,338,038	B2	3/2008	Maurer et al.	
7,341,776	B1	3/2008	Milliren et al.	
7,377,577	B2	5/2008	Carroll, III et al.	
7,384,095	B2	6/2008	Cormier	
D572,865	S	7/2008	Baker	
7,404,593	B2	7/2008	Cormier	
D582,607	S	12/2008	Ferrara	
7,464,414	B2	12/2008	McDuff	
7,513,344	B2	4/2009	Toccalino	
7,574,760	B2	8/2009	Foley et al.	
7,625,023	B2	12/2009	Audi et al.	
7,673,351	B2	3/2010	Copeland et al.	
7,676,854	B2	3/2010	Berger et al.	
7,677,538	B2	3/2010	Darnell et al.	
7,774,866	B2	8/2010	Ferrara	
7,802,320	B2	9/2010	Morgan	
7,950,073	B2	5/2011	Ferrara	
D645,210	S	9/2011	Chilson et al.	
D650,132	S	12/2011	Chilson et al.	
D654,628	S	2/2012	Aris et al.	
D655,048	S	2/2012	Moeller et al.	
D672,920	S	* 12/2012	Durocher	D29/102
D677,006	S	* 2/2013	Pfanner	D29/102
D683,905	S	6/2013	Wills	
D691,329	S	10/2013	Anderson	
D708,394	S	* 7/2014	Mehra	D29/102
D725,313	S	* 3/2015	Beauchamp	D29/102
D744,170	S	* 11/2015	Eastwood	D29/102
D745,744	S	* 12/2015	Saam	D29/102
D752,294	S	* 3/2016	Chilson	D29/102
D752,814	S	* 3/2016	Chilson	D29/102
2002/0023290	A1	2/2002	Watters	
2005/0060793	A1	3/2005	Rose	
2006/0059606	A1	3/2006	Ferrara	
2009/0038055	A1	2/2009	Ferrara	

2009/0049586	A1	2/2009	Wirthenstaetter
2009/0178184	A1	7/2009	Brine et al.
2009/0265841	A1	10/2009	Ferrara

* cited by examiner

Primary Examiner — Ruth McInroy
(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**

We claim the ornamental design for a helmet, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a first embodiment of a helmet of the new design;
 FIG. 2 is a top plan view of the helmet of FIG. 1;
 FIG. 3 is a front elevational view of the helmet of FIG. 1;
 FIG. 4 is a rear elevational view of the helmet of FIG. 1;
 FIG. 5 is a bottom plan view of the helmet of FIG. 1;
 FIG. 6 is a right elevational view of the helmet of FIG. 1;
 FIG. 7 is a left elevational view of the helmet of FIG. 1;
 FIG. 8 is a top, front perspective view of a second embodiment thereof;
 FIG. 9 is a top plan view of the helmet of FIG. 8;
 FIG. 10 is a front elevational view of the helmet of FIG. 8;
 FIG. 11 is a rear elevational view of the helmet of FIG. 8;
 FIG. 12 is a bottom plan view of the helmet of FIG. 8;
 FIG. 13 is a right elevational view of the helmet of FIG. 8;
 FIG. 14 is a left elevational view of the helmet of FIG. 8;
 FIG. 15 is a top, front perspective view of a third embodiment thereof;
 FIG. 16 is a top plan view of the helmet of FIG. 15;
 FIG. 17 is a front elevational view of the helmet of FIG. 15;
 FIG. 18 is a rear elevational view of the helmet of FIG. 15;
 FIG. 19 is a bottom plan view of the helmet of FIG. 15;
 FIG. 20 is a right elevational view of the helmet of FIG. 15;
 FIG. 21 is a left elevational view of the helmet of FIG. 15;
 FIG. 22 is a top, front perspective view of a fourth embodiment thereof;
 FIG. 23 is a top plan view of the helmet shell of FIG. 22;
 FIG. 24 is a front elevational view of the helmet shell of FIG. 22;
 FIG. 25 is a rear elevational view of the helmet shell of FIG. 22;
 FIG. 26 is a bottom plan view of the helmet shell of FIG. 22;
 FIG. 27 is a right elevational view of the helmet shell of FIG. 22;
 FIG. 28 is a left elevational view of the helmet shell of FIG. 22;
 FIG. 29 is a top, front perspective view of a fifth embodiment thereof;
 FIG. 30 is a top plan view of the helmet shell of FIG. 29;
 FIG. 31 is a front elevational view of the helmet shell of FIG. 29;
 FIG. 32 is a rear elevational view of the helmet shell of FIG. 29;
 FIG. 33 is a bottom plan view of the helmet shell of FIG. 29;
 FIG. 34 is a right elevational view of the helmet shell of FIG. 29;
 FIG. 35 is a left elevational view of the helmet shell of FIG. 29;
 FIG. 36 is a top, front perspective view of a sixth embodiment thereof;

FIG. **37** is a top plan view of the helmet shell of FIG. **36**;
FIG. **38** is a front elevational view of the helmet shell of FIG.
36;
FIG. **39** is a rear elevational view of the helmet shell of FIG.
36;
FIG. **40** is a bottom plan view of the helmet shell of FIG. **36**;
FIG. **41** is a right elevational view of the helmet shell of FIG.
36; and,
FIG. **42** is a left elevational view of the helmet shell of FIG.
36.

The portions of the Figures shown in broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42