



US00D793752S

(12) **United States Design Patent**  
**Holley, Jr.**

(10) **Patent No.:** **US D793,752 S**

(45) **Date of Patent:** **\*\* Aug. 8, 2017**

- (54) **BEAR-CHARACTER CHILD SAFETY SEAT**
- (71) Applicant: **Sentry Baby Products, LLC**, Colorado Springs, CO (US)
- (72) Inventor: **James W. Holley, Jr.**, Colorado Springs, CO (US)
- (73) Assignee: **Sentry Baby Products, LLC**, Colorado Springs, CO (US)

D591,960 S *	5/2009	Cymbalski	.....	D6/333
D591,961 S *	5/2009	Cymbalski	.....	D6/333
D632,099 S *	2/2011	Cymbalski	.....	D6/333
D632,100 S *	2/2011	Cymbalski	.....	D6/333
D632,501 S *	2/2011	Cymbalski	.....	D6/333
D655,925 S *	3/2012	Hartenstine	.....	D6/333
D661,500 S *	6/2012	Hutchinson	.....	D6/333
D676,250 S *	2/2013	Cymbalski	.....	D6/333
D676,679 S *	2/2013	Cymbalski	.....	D6/333
D682,563 S *	5/2013	Goldberg	.....	D6/333
D741,607 S *	10/2015	Rajasingham	.....	D6/333

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **29/557,323**

*Primary Examiner* — Abraham T Bahta

(22) Filed: **Mar. 8, 2016**

(74) *Attorney, Agent, or Firm* — Bever, Hoffman & Harms, LLP

(51) **LOC (10) Cl.** ..... **06-01**

(52) **U.S. Cl.**

USPC ..... **D6/333**

(58) **Field of Classification Search**

USPC ..... D6/333-336, 339, 344, 702, 716,  
D6/716.1-716.7; 297/183.1-183.4,  
297/184.13, 184.15, 184.17, 250.1, 255,  
297/256.1, 256.15, 219.12, 463.1;  
D12/129-130, 133; D21/412, 428, 419;  
280/30-31; 5/94, 98.1, 99.1, 101-102,  
5/105, 655, 93.1, 12.1; 24/200

CPC ..... A47D 13/02; A47D 13/10; A47D 1/00;  
A47D 1/002; A47D 1/004; B60N 2/22;  
B60N 2/24; A47C 7/021; A47C 7/022;  
A47C 7/002; A47C 7/18; A47C 7/24;  
A47C 3/00; A47C 3/02; A47C 3/025;  
A47C 3/20; A47C 1/00; A47C 1/02;  
A47C 1/04; A47C 1/06

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D524,559 S *	7/2006	Cymbalski	.....	D6/333
D533,363 S *	12/2006	Cymbalski	.....	D6/333

(57) **CLAIM**


The ornamental design for a bear-character child safety seat, as shown and described.

**DESCRIPTION**

FIG. 1 is an upper right front perspective view of a bear-character child safety seat;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.


The disclosed bear-character child safety seat is intended for transporting children in automobiles and other vehicles in compliance with established safety regulations.

**1 Claim, 7 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**