



US00D793753S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,753 S**  
**Holley, Jr.** (45) **Date of Patent:** **\*\* Aug. 8, 2017**

(54) **GENERIC-CHARACTER CHILD SAFETY SEAT**

(71) Applicant: **Sentry Baby Products, LLC**, Colorado Springs, CO (US)

(72) Inventor: **James W. Holley, Jr.**, Colorado Springs, CO (US)

(73) Assignee: **Sentry Baby Products, LLC**, Colorado Springs, CO (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/557,328**

(22) Filed: **Mar. 8, 2016**

(51) **LOC (10) Cl.** ..... **06-01**

(52) **U.S. Cl.**  
USPC ..... **D6/333**

(58) **Field of Classification Search**

USPC ..... D6/333-336, 339, 344, 702, 716, D6/716.1-716.7; 297/183.1-183.4, 297/184.13, 184.15, 184.17, 250.1, 255, 297/256.1, 256.15, 219.12, 463.1; D12/129-130, 133; D21/412, 428, 419; 280/30-31; 5/94, 98.1, 99.1, 101-102, 5/105, 655, 93.1, 12.1; 24/200  
CPC ..... A47D 13/02; A47D 13/10; A47D 1/00; A47D 1/002; A47D 1/004; B60N 2/22; B60N 2/24; A47C 7/021; A47C 7/022; A47C 7/002; A47C 7/18; A47C 7/24; A47C 3/00; A47C 3/02; A47C 3/025; A47C 3/20; A47C 1/00; A47C 1/02; A47C 1/04; A47C 1/06

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D524,559 S \* 7/2006 Cymbalski ..... D6/333  
D533,363 S \* 12/2006 Cymbalski ..... D6/333  
D591,960 S \* 5/2009 Cymbalski ..... D6/333  
D591,961 S \* 5/2009 Cymbalski ..... D6/333

D632,099 S \* 2/2011 Cymbalski ..... D6/333  
D632,501 S \* 2/2011 Cymbalski ..... D6/333  
D655,925 S \* 3/2012 Hartenstine ..... D6/333  
D661,500 S \* 6/2012 Hutchinson ..... D6/333  
D676,250 S \* 2/2013 Cymbalski ..... D6/333  
D676,679 S \* 2/2013 Cymbalski ..... D6/333  
D682,563 S \* 5/2013 Goldberg ..... D6/333  
D741,607 S \* 10/2015 Rajasingham ..... D6/333

\* cited by examiner

*Primary Examiner* — Abraham T Bahta

(74) *Attorney, Agent, or Firm* — Bever, Hoffman & Harms, LLP


(57) **CLAIM**


The ornamental design for a generic-character child safety seat, as shown and described.

**DESCRIPTION**


FIG. 1 is an upper right front perspective view of a generic-character child safety seat;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
Dashed lines represent unclaimed environment and form no part of the claimed design.  
The disclosed generic-character child safety seat is intended for transporting children in automobiles and other vehicles in compliance with established safety regulations.

**1 Claim, 7 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**