



US00D793844S

(12) **United States Design Patent**
Kim et al.

(10) **Patent No.: US D793,844 S**

(45) **Date of Patent: ** Aug. 8, 2017**

(54) **CARRIER JIG**
(71) Applicant: **CEKO CO., LTD.**, Seongnam-si (KR)
(72) Inventors: **Hyun Joong Kim**, Seoul (KR); **Hong Chul Kim**, Seoul (KR); **Jeong Rae Kim**, Seoul (KR); **Young Jun Hwang**, Seongnam-si (KR); **Byeong Gyeong Choi**, Hwaseong-si (KR); **Chul Hoon Kim**, Seongnam-si (KR)

(73) Assignee: **Ceko Co., Ltd.**, Seongnam-Si (KR)

(**) Term: **15 Years**

(21) Appl. No.: **29/552,261**

(22) Filed: **Jan. 21, 2016**

(30) **Foreign Application Priority Data**

Jul. 23, 2015 (KR) 30-2015-0037300

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/349**; D8/363

(58) **Field of Classification Search**
USPC D8/349, 363, 371, 373, 380, 354, 356,
D8/381, 382, 383, 394, 396, 355, 357,
D8/364, 366, 370, 499; 248/261, 262,
248/309.1; 160/349.1; D13/102, 118,
D13/149, 154, 155, 184, 199
CPC E04H 17/1421; E04H 2017/1473; A47G
1/00; A47G 25/00; F16L 3/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,272,597 A * 6/1981 Nishikawa G03G 15/052
313/348
4,279,980 A * 7/1981 Nishikawa G03G 15/052
245/10

4,394,427 A * 7/1983 Nishikawa G03G 15/052
245/10
D462,892 S * 9/2002 Snyder D8/373
D462,894 S * 9/2002 Snyder D8/373
D463,255 S * 9/2002 Snyder D8/373
D483,249 S * 12/2003 Klein D8/373
D483,250 S * 12/2003 Klein D8/373
D562,115 S * 2/2008 Michaud D8/364
D684,034 S * 6/2013 Vaughan D8/349
D691,028 S * 10/2013 Malins D8/366
D739,221 S * 9/2015 Sendra-Gonzalez .. F24J 2/5203
D8/349
2003/0193080 A1* 10/2003 Cabahug H01L 23/49562
257/666
2008/0128297 A1* 6/2008 Rose A61C 19/02
206/63.5
2016/0168527 A1* 6/2016 Lee C12M 41/14
435/252.1

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Lathrop & Gage LLP

(57) **CLAIM**

The ornamental design for a carrier jig, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a carrier jig showing our new design.

FIG. 2 is a front view.

FIG. 3 is a back view.

FIG. 4 is a left side view.


FIG. 5 is a right side view.

FIG. 6 is a top plan view; and,

FIG. 7 is a bottom plan view.

The present design relates to a carrier jig which is fixed inside of an evaporator and heats a carrier. The material of the present design is metal.

1 Claim, 3 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7