



US00D793862S

(12) **United States Design Patent**  
**Buhl et al.**

(10) **Patent No.:** **US D793,862 S**

(45) **Date of Patent:** **\*\* Aug. 8, 2017**

(54) **SHOCK-ABSORBING PACKAGING INSERT**

(71) Applicant: **Buhl-PaperForm GmbH**, Burbach (DE)

(72) Inventors: **Christoph Buhl**, Neunkirchen (DE);  
**Hans-Joachim Dingler**, Bad Berleberg (DE)

(73) Assignee: **BUHL-PAPERFORM GMBH**, Burbach (DE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/565,907**

(22) Filed: **May 25, 2016**

(30) **Foreign Application Priority Data**

Dec. 7, 2015 (EM) ..... 002898726-0001  
Dec. 7, 2015 (EM) ..... 002898726-0002  
Dec. 7, 2015 (EM) ..... 002898726-0003

(51) **LOC (10) Cl.** ..... **09-07**

(52) **U.S. Cl.**  
USPC ..... **D9/456**

(58) **Field of Classification Search**  
USPC ..... D9/414-419, 421-425, 427, 429,  
D9/430-435, 455-457, 499  
CPC ..... B65D 71/00; B65D 5/503; B65D 5/36;  
B65D 5/20  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D160,738 S \* 10/1950 Randall ..... 206/521.1  
D207,807 S \* 5/1967 Kramer ..... 217/26.5

D208,274 S \* 8/1967 Friday ..... D9/456  
D214,664 S \* 7/1969 Edwards ..... D9/456  
D715,639 S \* 10/2014 Sumiyoshi ..... D9/424  
D734,146 S \* 7/2015 Fischer ..... D9/424

**OTHER PUBLICATIONS**

Buhl-Paperform. No Other Packaging Has So Many Benefits. Sep. 27, 2016 [earliest online date], [site visited Feb. 6, 2017]. Available from Internet, <URL:http://buhl-paperform.de/en/molded-fiber-products/benefits/>.\*

Buhl-Paperform. Individual Product Solutions. Sep. 21, 2016 [earliest online date], [site visited Feb. 6, 2017]. Available from Internet, <URL:http://buhl-paperform.de/en/>.\*

\* cited by examiner

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Darcey E Heflin

(74) *Attorney, Agent, or Firm* — Andrew Wilford

(57) **CLAIM**

The ornamental design for a shock-absorbing packaging insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front isometric view of the shock-absorbing packaging insert of the invention;

FIG. 2 is a rear isometric view of the insert;

FIG. 3 is a side view of the insert;

FIG. 4 is an opposite side view of the insert;

FIG. 5 is a front end view of the insert;



FIG. 6 is a perspective rear view of the insert;


FIG. 7 is another perspective rear view of the insert;

FIG. 8 is a rear end view of the insert; and,


FIG. 9 is a perspective front view of the insert.

**1 Claim, 9 Drawing Sheets**






**FIG. 1**




**FIG. 2**







**FIG. 3**




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**






FIG. 8




FIG. 9