



US00D793996S

(12) **United States Design Patent** (10) **Patent No.:** **US D793,996 S**
Katz et al. (45) **Date of Patent:** **** Aug. 8, 2017**

- (54) **STEREO SPEAKER STAND**
- (71) Applicants: **Jeff Katz**, Chicago, IL (US); **David Block**, Brooklyn, NY (US)
- (72) Inventors: **Jeff Katz**, Chicago, IL (US); **David Block**, Brooklyn, NY (US)
- (73) Assignee: **Intertrade Inc.**, Southfield, MI (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/554,270**
- (22) Filed: **Feb. 10, 2016**
- (51) **LOC (10) Cl.** **14-01**
- (52) **U.S. Cl.**
 USPC **D14/224**
- (58) **Field of Classification Search**
 USPC D14/224, 224.1, 221, 209.1, 211, 204,
 D14/210, 216; 181/144, 145, 153, 156,
 181/146, 150-152, 157, 198, 199;
 381/300-303, 306, 332, 333, 336, 397;
 D6/681.2; 248/441.1; 40/607.1, 606.03;
 211/205
 CPC ... H04R 1/02; H04R 1/26; H04R 1/28; H05K
 5/00; H05K 5/02; A47B 97/04
 See application file for complete search history.

- (56) **References Cited**
 U.S. PATENT DOCUMENTS
- 2,459,785 A * 1/1949 Allerton F16B 7/1427
 211/166
- D203,215 S * 12/1965 Koch D26/64
- 4,201,975 A * 5/1980 Marcus E01F 9/658
 116/63 C
- D262,535 S * 1/1982 Fisher D14/229
- 4,329,800 A * 5/1982 Shuman F16B 7/105
 40/606.14
- 5,048,789 A * 9/1991 Eason F16M 11/10
 248/188.7
- D326,969 S * 6/1992 Eason D14/224

- 5,283,595 A * 2/1994 Krukovsky G09F 7/20
 345/2.3
- D412,331 S * 7/1999 Nakamura D14/155
- D415,494 S * 10/1999 Curina D14/211
- D417,872 S * 12/1999 Monson D14/211
- D483,026 S * 12/2003 Koskinen D14/211
- D488,803 S * 4/2004 Chin D14/211
- D497,904 S * 11/2004 Dardashti D14/224
- D508,480 S * 8/2005 Oikawa D14/211
- D515,555 S * 2/2006 Liang D14/211
- D522,492 S * 6/2006 Carbone D14/211
- D536,693 S * 2/2007 Komiyama D14/211
- D539,269 S * 3/2007 Yoon D14/211
- D543,534 S * 5/2007 Tsuge D14/211
- D548,724 S * 8/2007 Hakoda D14/211

(Continued)

Primary Examiner — Paula Greene
 (74) *Attorney, Agent, or Firm* — Dinsmore & Shohl LLP


(57) **CLAIM**

The ornamental design for a stereo speaker stand, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the left rear corner of a stereo speaker stand embodying my new design;
 FIG. 2 is a rear view of the claimed design;
 FIG. 3 is a right side view of the claimed design;
 FIG. 4 is a front view of the claimed design;
 FIG. 5 is a left side view of the claimed design;
 FIG. 6 is an enlarged uppermost portion of the stereo speaker stand of FIG. 1, shown separately for ease of illustration, and,
 FIG. 7 is an enlarged bottommost portion of the stereo speaker stand of FIG. 1, shown separately for ease of illustration.
 The broken lines depict environment that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,319,767	B2 *	1/2008	Fidlin	H04R 1/06 381/182
D578,103	S *	10/2008	Matsuoka	D14/211
D579,926	S *	11/2008	Whitworth	D14/224
D579,927	S *	11/2008	Whitworth	D14/224
D581,697	S *	12/2008	Fix	D6/681.2
D581,698	S *	12/2008	Fix	D14/224
D598,217	S *	8/2009	Bode	D6/681.2
D648,475	S *	11/2011	Heyrman	D26/93
D716,764	S *	11/2014	Jeon	D14/209.1
D740,253	S *	10/2015	Jeon	D14/204
D743,371	S *	11/2015	Nardin	D14/209.1
D743,378	S *	11/2015	Kim	D14/213
2004/0264716	A1 *	12/2004	Fidlin	H04R 1/06 381/161

* cited by examiner



FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5






FIG. 6




FIG. 7