



US00D794113S

(12) **United States Design Patent**
Cannaliato

(10) **Patent No.:** **US D794,113 S**

(45) **Date of Patent:** **** Aug. 8, 2017**

(54) **EYEGLOSS RETAINER**

(71) Applicant: **Thomas James Cannaliato**, Sykesville, MD (US)

(72) Inventor: **Thomas James Cannaliato**, Sykesville, MD (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/539,160**

(22) Filed: **Sep. 11, 2015**

(51) **LOC (10) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/339**

(58) **Field of Classification Search**

USPC D16/101, 300-342, 900; D29/109-110;
D21/483, 659-661; D14/372; 351/41,
351/44, 45-48, 51-52, 62, 158, 92,
351/103-123, 140-153, 63, 59; 2/13, 15,
2/426-432, 447-449, 441, 434-437
CPC G02C 2200/08; G02C 1/06; G02C 5/14;
G02C 11/02; G02C 11/04; G02C 5/16;
G02C 2200/22; G02C 5/146; G02C
5/2254; G02C 5/008; G01C 5/16; A61M
2021/0044; A63B 33/002

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,523,885 A * 9/1950 Springer G02C 3/02
16/224
D328,908 S * 8/1992 Kalbach D16/339
D368,272 S * 3/1996 Starr D16/339
D371,154 S * 6/1996 Kalbach D16/339
5,781,272 A * 7/1998 Bright A61F 9/029
351/118
D403,346 S * 12/1998 Roberts D16/339
D420,039 S * 2/2000 Carey D16/339

D486,174 S * 2/2004 Chisolm D16/339
D486,511 S * 2/2004 Kalbach D16/339
D513,519 S * 1/2006 Chisolm D16/339
D607,919 S * 1/2010 Williams G02C 3/003
D16/329
D619,637 S * 7/2010 Vanne D16/339
D626,169 S * 10/2010 Spangler D16/339
D629,833 S * 12/2010 Rayborn, Jr. D11/79
D629,834 S * 12/2010 Rayborn, Jr. D11/79
D629,835 S * 12/2010 Rayborn, Jr. D11/79
D666,287 S * 8/2012 Quinlan A61F 11/12
D16/309
D669,115 S * 10/2012 Kalbach D16/339
D767,665 S * 9/2016 McSwain D16/339
D781,369 S * 3/2017 Siler, Jr. D16/335
D781,370 S * 3/2017 Lando D16/339
2007/0081324 A1 * 4/2007 Schrimmer G02C 11/02
362/103

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Dunlap Bennett & Ludwig PLLC

(57) **CLAIM**

The ornamental design for an eyeglass retainer, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the eyeglass retainer shown in use;

FIG. 2 is a front view of the eyeglass retainer;

FIG. 3 is a rear view of the eyeglass retainer;

FIG. 4 is a left view of the eyeglass retainer, right view mirror thereof;


FIG. 5 is a top view of the eyeglass retainer; and

FIG. 6 is a bottom view of the eyeglass retainer; and,

FIG. 7 is a detail view of FIG. 4.

The broken lines shown in the drawings illustrate portions of the eyeglass retainer that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0242214	A1*	10/2007	Carter	G02C 3/003 351/156
2016/0025997	A1*	1/2016	Yribarren	G02C 3/003 351/156
2016/0170235	A1*	6/2016	Maalouf	G02C 3/006 351/52

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7