



US00D794190S

(12) **United States Design Patent**
Russell et al.

(10) **Patent No.:** **US D794,190 S**
(45) **Date of Patent:** **** Aug. 8, 2017**

- (54) **INSERT FOR DRILL MEASUREMENT SYSTEM**
- (71) Applicant: **McGinley Engineered Solutions, LLC**, Casper, WY (US)
- (72) Inventors: **Matthew V. Russell**, Casper, WY (US); **Joseph C. McGinley**, Casper, WY (US)
- (73) Assignee: **McGinley Engineered Solutions, LLC**, Casper, WY (US)
- (**) Term: **15 Years**

- 6,665,948 B1 * 12/2003 Kozin A61B 17/1626 175/45
 - 7,491,203 B2 * 2/2009 Harris, Jr. A61B 17/1617 606/80
 - D599,906 S * 9/2009 Petersen D24/146
 - 7,607,238 B2 * 10/2009 Kim G01B 3/28 33/512
 - D605,289 S * 12/2009 Horton D24/140
 - D610,257 S * 2/2010 Horton D24/140
 - 7,895,762 B2 * 3/2011 Kim G01B 3/28 33/512
 - D644,327 S * 8/2011 Singh D15/139
 - D656,611 S * 3/2012 Garcia D15/139
 - D704,334 S * 5/2014 Walthall, Jr. D24/140
- (Continued)

- (21) Appl. No.: **29/553,649**
- (22) Filed: **Feb. 3, 2016**
- (51) **LOC (10) Cl.** **24-02**
- (52) **U.S. Cl.**
USPC **D24/140**
- (58) **Field of Classification Search**
USPC D24/146, 147, 145, 133, 140; D8/68, 83; 606/178, 172, 170, 177, 176, 79-85, 104
CPC . A61B 17/1671; A61B 17/154; A61B 17/155; A61B 17/157; A61B 17/158; A61B 17/16; A61B 17/1637; A61B 17/1626; A61B 2017/1602; A61B 90/06; A61B 2090/062; A61F 2/4455; B23B 49/00; B23B 2260/128; Y10T 408/16; Y10T 408/21
See application file for complete search history.


Primary Examiner — Mark Goodwin
(74) *Attorney, Agent, or Firm* — Marsh Fischmann & Breyfogle LLP

(57) **CLAIM**
The ornamental design for an insert for a drill measurement system, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of an insert for a drill measurement system;
FIG. 2 is a front view of the insert for a drill measurement system of FIG. 1;
FIG. 3 is a rear view of the insert for a drill measurement system of FIG. 1;
FIG. 4 is a left side view of the insert for a drill measurement system of FIG. 1;
FIG. 5 is a right side view of the insert for a drill measurement system of FIG. 1;
FIG. 6 is a top view of the insert for a drill measurement system of FIG. 1; and,
FIG. 7 is a bottom view of the insert for a drill measurement system of FIG. 1.
The broken lines in the drawing indicate environmental structure and form no part of the design to be patented.

1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
4,710,075 A * 12/1987 Davison A61B 17/16 33/512
5,013,318 A * 5/1991 Spranza, III A61B 5/1076 33/512
D331,464 S * 12/1992 Rosenberg D24/147
D332,492 S * 1/1993 Rosenberg D15/139



(56)

References Cited

U.S. PATENT DOCUMENTS

9,572,589	B2 *	2/2017	Knape	A61B 17/1615
2005/0066535	A1 *	3/2005	Rupp	A61B 5/1072
				33/512
2006/0207119	A1 *	9/2006	Kim	A61B 5/1076
				33/512
2006/0224161	A1 *	10/2006	Bhattacharyya	A61B 90/06
				606/102
2014/0276884	A1 *	9/2014	Lizardi	A61F 2/0805
				606/102
2015/0066038	A1 *	3/2015	McGinley	A61B 17/16
				606/80
2015/0141999	A1 *	5/2015	McGinley	A61B 17/15
				606/82
2016/0128704	A1 *	5/2016	McGinley	A61B 17/15
				606/80

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.5




FIG.4




FIG. 6




FIG. 7