



US00D794274S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,274 S**
Mangeot (45) **Date of Patent:** **** Aug. 8, 2017**

(54) **CONTROL TERMINAL**

(71) Applicant: **AKSOR**

(72) Inventor: **Jacques Mangeot**, Bussy St Georges (FR)

(73) Assignee: **AKSOR** (FR)

(**) Term: **15 Years**

(21) Appl. No.: **29/548,424**

(22) Filed: **Dec. 14, 2015**

(30) **Foreign Application Priority Data**

Aug. 6, 2015 (EM) 002750703-0001

(51) **LOC (10) Cl.** **20-01**

(52) **U.S. Cl.**
USPC **D99/28**

(58) **Field of Classification Search**

USPC D99/28, 34, 35, 36, 43, 99;
D14/300-302, 305, 307, 900-902;
D18/3.1-3.3, 4.1-4.6, 12.1-12.3;
D21/324, 325, 329, 369, 370; 101/66;
109/1 R, 1 V, 2, 23, 24.1, 25, 58, 58.5,
109/66; 446/8-13; 705/16, 17, 18, 42,
705/43, 44, 45; 235/51, 379, 380, 381,
235/382, 382.5, 386; 206/0.8, 0.81,
206/0.815, 0.82, 0.84

CPC .. G06Q 20/10; G06Q 20/108; G06Q 20/1085;
G06Q 20/18; G07D 1/00; G07D 1/02;
G07D 1/04; G07D 1/06; G07D 11/00;
G07D 9/002; G07D 9/04; G07F 19/20;
G07F 19/201; G07F 19/202; G07F
19/203; G07F 19/204; G07F 19/105;
G07F 19/21; G07F 19/00; G07F 7/04;
G07F 5/00; G07F 1/00; E05G 7/001;
E05G 1/006; A63H 33/00; A63G 33/005

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D456,587	S	*	4/2002	Kit	D99/28
D492,080	S	*	6/2004	Magee	D99/28
D530,880	S	*	10/2006	Magee	D99/28
7,549,925	B2	*	6/2009	Scholen	A63F 13/90 211/84
D596,174	S	*	7/2009	Giugiaro	D14/307
D596,374	S	*	7/2009	Kang	D99/28
D625,305	S	*	10/2010	Bleck	D14/307
D645,223	S	*	9/2011	Bleck	D14/307
D653,420	S	*	1/2012	Rohan	D14/307
D695,285	S	*	12/2013	Smith	D14/307
D696,658	S	*	12/2013	Winston	D14/307
D702,914	S	*	4/2014	Budde	D99/28
D705,213	S	*	5/2014	Smith	D14/307
2002/0124271	A1	*	9/2002	Herrmann	G06Q 30/02 725/151
2009/0057398	A1	*	3/2009	Douglass	G07F 19/20 235/379

* cited by examiner

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Katten Muchin
Rosenman LLP


(57) **CLAIM**

The ornamental design for a control terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a control terminal showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a first side view thereof;
FIG. 5 is a second side view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7