

US00D794394S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,394 S**
Karussi (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **BOWL WITH LID**

(71) Applicant: **Tervis Tumbler Company**, North Venice, FL (US)

(72) Inventor: **Kurt Karussi**, Osprey, FL (US)

(73) Assignee: **Tervis Tumbler Company**, North Venice, FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/579,156**

(22) Filed: **Sep. 28, 2016**

(51) **LOC (10) Cl.** **07-01**

(52) **U.S. Cl.**
USPC **D7/538**

(58) **Field of Classification Search**

USPC D7/500, 538, 505, 539, 543, 57, 581,
D7/629; D9/425, 424, 428; 220/810
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,004,449 A * 6/1935 Stanley B65D 43/0212
206/819
D241,399 S * 9/1976 Christian D7/540
(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Caesar Rivise, PC

(57) **CLAIM**

The ornamental design for the bowl with lid, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of one embodiment of a bowl with lid in accordance with my new design;

FIG. 2 is a front elevation view of the bowl With lid shown in FIG. 1;

FIG. 3 is a rear elevation view of the bowl with lid shown in FIG. 1;

FIG. 4 is a right side elevation view of the bowl with lid shown in FIG. 1;

FIG. 5 is a left side elevation view of the bowl with lid shown in FIG. 1;

FIG. 6 is a top plan view of the bowl with lid shown in FIG. 1;

FIG. 7 is a bottom plan view of the bowl with lid shown in FIG. 1;

FIG. 8 is a somewhat enlarged cross sectional view taken along line 8-8 of FIG. 6, wherein the thin lined cross hatched portion of the lid designates that portion is opaque or translucent, and wherein the alternating thin and thick lined cross hatched portions of the bowl designates that those portions are transparent;

FIG. 9 is an isometric view of FIG. 1 shown with the lid removed;

FIG. 10 is a front elevation view thereof;

FIG. 11 is a rear elevation view thereof;

FIG. 12 is a right side elevation view thereof;

FIG. 13 is a left side elevation view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is an isometric view of FIG. 1 shown with the bowl removed;

FIG. 17 is a side elevation view thereof, the side view being the same from any direction;

FIG. 18 is a top plan view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a somewhat enlarged cross sectional view taken along line 20-20 of FIG. 18, wherein the thin lined cross hatched portion of the lid designates that portion is opaque or translucent;

FIG. 21 is an isometric view of another embodiment of a bowl with lid in accordance with my new design;

FIG. 22 is a front elevation view of the bowl with lid shown in FIG. 21;

FIG. 23 is a rear elevation view of the bowl with lid shown in FIG. 21;

FIG. 24 is a right side elevation view of the bowl with lid shown in FIG. 21;

(Continued)





FIG. 25 is a left side elevation view of the bowl with Lid shown in FIG. 21;

FIG. 26 is a top plan view of the bowl with lid shown in FIG. 21;

FIG. 27 is a bottom plan view of the bowl with lid shown in FIG. 21;

FIG. 28 is a somewhat enlarged cross sectional view taken along line 28-28 of FIG. 26, wherein the thin lined cross hatched portion of the lid designates that portion is opaque or translucent, wherein the alternating thin and thick lined cross hatched portion of the lid designates that that portion is transparent, and wherein the alternating thin and thick lined cross hatched portions of the bowl designates that those portions are transparent;

FIG. 29 is an isometric view of FIG. 21 shown with the bowl removed;

FIG. 30 is a side elevation view thereof, the side view being the same from any direction;

FIG. 31 is a top plan view thereof;

FIG. 32 is a bottom plan view thereof; and,

FIG. 33 is a somewhat enlarged cross sectional view taken along line 33-33 of FIG. 31. wherein the thin lined cross hatched portion of the lid designates that portion is opaque or translucent and the alternating thin and thick lined cross hatched portion of the lid designates that that portion is transparent.

The broken lines in the various figures are directed to unclaimed portions of the bowl with lid and form no part of the claimed design.

1 Claim, 25 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D281,754	S	*	12/1985	Trombly		D7/540
D310,617	S	*	9/1990	Pozzi		D7/538
D312,555	S	*	12/1990	Daenen		D7/540
D338,373	S	*	8/1993	Sun		D30/131
5,409,126	A	*	4/1995	DeMars		B65D 21/0219
						206/499
D493,672	S	*	8/2004	Jalet		D7/586
D503,310	S	*	3/2005	Jalet		D7/586
D659,478	S	*	5/2012	Cossu		D7/538
D697,761	S	*	1/2014	Uchida		D7/558
D732,345	S	*	6/2015	Barbieri		D7/509
D750,938	S	*	3/2016	Thun		D7/523
D770,231	S	*	11/2016	Hume		D7/523
2016/0176614	A1	*	6/2016	Mittal		A47J 36/027
						219/725

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33