



US00D794424S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,424 S**
Thompson et al. (45) **Date of Patent:** **** Aug. 15, 2017**

- (54) **MOUNTING DEVICE** 5,433,416 A * 7/1995 Johnson B65D 23/003
248/475.1
- (71) Applicant: **3M INNOVATIVE PROPERTIES** 5,605,313 A * 2/1997 Erickson A47G 1/1606
COMPANY, St. Paul, MN (US) 248/467
- (72) Inventors: **Craig D. Thompson**, Inver Grove Heights, MN (US); **Andrew C. Stansel**, Woodbury, MN (US); **Michele A. Eller**, Stillwater, MN (US); **David J. Prince**, St. Paul, MN (US); **Angela L. Pan**, Arden Hills, MN (US) 6,431,510 B1 * 8/2002 Lydecker A47B 96/068
248/216.1
- (73) Assignee: **3M INNOVATIVE PROPERTIES** D484,778 S * 1/2004 French D8/373
COMPANY, St. Paul, MN (US) 6,719,260 B1 * 4/2004 Hart A47G 1/168
248/466
- (74) **Attorney, Agent, or Firm** — Irina Hass 7,309,053 B2 * 12/2007 Lin A47G 1/162
248/466
- (75) **Field of Classification Search** D590,700 S * 4/2009 Brockington D8/373
7,655,318 B2 * 2/2010 Hall B44C 5/06
248/220.21

(Continued)

(**) Term: **15 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/542,458**

U.S. Appl. No. 62/139,124, filed Mar. 27, 2015, entitled "Canvas Mounting Device".

(22) Filed: **Oct. 14, 2015**

Primary Examiner — Mark Goodwin

(51) **LOC (10) Cl.** **08-05**

(74) *Attorney, Agent, or Firm* — Irina Hass

(52) **U.S. Cl.**

USPC **D8/354**; D8/373

(58) **Field of Classification Search**

USPC D8/16, 19, 349, 354, 355, 363, 364, 366, D8/370-373, 380; D6/313, 300; D20/42
CPC . A47G 1/16; A47G 1/205; A47G 1/20; A47G 1/1633; A47G 1/162; A47G 1/24; A47G 1/164; A47G 1/1646; A47G 1/1606; A47G 1/1626; A47F 7/14; F16M 13/02; Y10T 29/49826; H04N 5/645

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,529,799 A * 9/1970 Schaefer A47G 1/1613
248/496
- 3,861,639 A * 1/1975 Morrill A47G 1/1606
248/489
- D257,219 S * 10/1980 Cook D8/354
- 4,611,780 A * 9/1986 Robertson A47G 1/1613
248/477

(57) **CLAIM**


The ornamental design for a mounting device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing a new design for a mounting device;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, a left side view being a mirror image thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

The portions of the mounting device in FIGS. 3-6 shown in broken lines are included to show features that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,836,604	B2 *	11/2010	Paharik	A47G 1/1606
				33/613
7,891,124	B1 *	2/2011	Willis	A47G 1/1606
				248/477
9,151,441	B2 *	10/2015	Wheeler	F16M 13/022
9,265,365	B2 *	2/2016	Durant	A47G 1/065
9,395,044	B2 *	7/2016	Cheng	F16M 13/022
9,441,774	B2 *	9/2016	Lashinske	F16M 13/02
2007/0186384	A1 *	8/2007	Broehl	A47G 1/1613
				16/355

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6