



US00D794456S

(12) **United States Design Patent**
Rockwell

(10) **Patent No.:** **US D794,456 S**

(45) **Date of Patent:** **** Aug. 15, 2017**

(54) **CONTAINER LID**

(71) Applicant: **IML PLASTX INC.**, Drummondville (CA)

(72) Inventor: **Richard Rockwell**, Drummondville (CA)

(73) Assignee: **IML PLASTX INC.**, Drummondville, Quebec (CA)

(**) Term: **15 Years**

(21) Appl. No.: **29/552,798**

(22) Filed: **Jan. 26, 2016**

(51) **LOC (10) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/449**; D9/434; D9/435; D9/454

(58) **Field of Classification Search**
USPC D3/202, 273, 275, 294; D6/516;

D7/300, 300.1, 316, 317, 387, 391, 392.1, D7/393, 396.2, 509, 510, 511, 531, 538, D7/541, 549, 629, 703, 900; D9/434, D9/435, 438, 439, 440, 443, 446, 447, D9/448, 449, 450, 452, 453, 454, 502, D9/503, 504, 529; D19/70, 71, 93, 163, D19/194; D23/260; D26/36, 123, 124; D28/7, 76, 78, 82, 91; 206/216, 538, 206/539, 546; 215/12.1, 42, 200, 217, 215/225, 226, 228, 230, 233, 235, 236, 215/237, 238, 249, 251, 253, 254, 305, 215/306, 321, 382; 220/254.2, 254.3, 220/254.5, 254.7, 254.9, 260, 264, 266, 220/285, 368, 521, 711, 714, 811, 812, 220/835, 837; 222/212, 254.5, 375, 484, 222/492, 494, 472, 480, 521, 544, 556, 222/810, 813, 835, 837

CPC A62C 31/02; B65D 1/02; B65D 1/0233; B65D 1/08; B65D 1/10; B65D 23/00; B65D 23/08; B65D 23/10; B65D 25/00; B65D 25/40; B65D 25/42; B65D 25/46; B65D 25/48; B65D 25/77; B65D 39/00; B65D 39/0047; B65D 41/00; B65D

43/00; B65D 43/02; B65D 51/02; B65D 51/04; B05B 17/00; B05B 15/002; A45D 34/00; A45D 34/042; A45D 2040/0006; A45D 2040/093

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D101,166 S * 9/1936 Forsberg D9/454
D304,276 S * 10/1989 Wolff D7/387

(Continued)

Primary Examiner — Thomas Johannes

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for a container lid, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container lid in a closed configuration;

FIG. 2 is a top plan view of the container lid shown in FIG. 1;

FIG. 3 is a bottom plan view of the container lid shown in FIG. 1;

FIG. 4 is a front elevation view of the container lid shown in FIG. 1;

FIG. 5 is a rear elevation view of the container lid shown in FIG. 1;



FIG. 6 is a left-side elevation view of the container lid shown in FIG. 1;

FIG. 7 is a right-side elevation view of the container lid shown in FIG. 1; and,

FIG. 8 is a perspective view of the container lid shown in FIG. 1 in an open configuration.

The portions shown in broken lines do not form part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D403,470	S	*	12/1998	Litton	D28/82
D441,144	S	*	4/2001	Vanoncini	D28/82
D448,296	S	*	9/2001	Bried	D9/449
D464,886	S	*	10/2002	Bried	D9/504
D532,691	S	*	11/2006	Vogel	D9/435
D533,781	S	*	12/2006	Freisem	D9/449
D552,989	S	*	10/2007	Vogel	D9/435
D552,990	S	*	10/2007	Vogel	D9/435
D582,274	S	*	12/2008	Vogel	D9/435
D596,029	S	*	7/2009	Parve	D9/453
D603,702	S	*	11/2009	Daggett	D9/449
D603,703	S	*	11/2009	Daggett	B65D 43/161 D9/449
D622,003	S	*	8/2010	Naughton	D28/82
D646,893	S	*	10/2011	Whalen	D3/318
D711,742	S	*	8/2014	Humm	D9/447
D712,260	S	*	9/2014	Humm	D9/449
D712,261	S	*	9/2014	Humm	D9/449
D712,262	S	*	9/2014	Humm	D9/449
D712,263	S	*	9/2014	Humm	D9/449
D727,148	S	*	4/2015	Humm	D9/449
D727,149	S	*	4/2015	Humm	D9/449
D727,731	S	*	4/2015	Humm	D9/449
2008/0087690	A1	*	4/2008	Parve	B65D 47/0847 222/485

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8