



US00D794567S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,567 S**
Fries et al. (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **SENSOR CABLE AND CONNECTOR**

(71) Applicant: **COVIDIEN LP**, Mansfield, MA (US)

(72) Inventors: **Timothy W. Fries**, Louisville, CO (US); **Mark D. Daly**, Wilsonville, OR (US)

(73) Assignee: **COVIDIEN LP**, Mansfield, MA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/512,434**

(22) Filed: **Dec. 18, 2014**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**

(58) **Field of Classification Search**
USPC D13/101, 110, 124, 125, 133,
D13/137.1-137.4, 138.1, 138.2, 139.1,
D13/139.3, 139.7, 146, 147, 15-156, 184,
D13/199
CPC H01R 13/633; H01R 13/635; H01R
13/6275; H01R 13/6276; H01R 13/7137;
H01R 24/20

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,851,178	A	12/1998	Aronow	
D416,542	S *	11/1999	Tsai	D13/147
D416,543	S *	11/1999	Tsai	D13/147
D416,868	S *	11/1999	Tsai	D13/147
6,541,756	B2	4/2003	Schulz et al.	
D569,810	S *	5/2008	Victor	D13/133
D589,446	S *	3/2009	Dunham	D13/133
D676,389	S *	2/2013	Worth	D13/147
D679,655	S *	4/2013	Lin	D13/147
D684,122	S *	6/2013	Strater	D13/153
D728,483	S *	5/2015	Fries	D13/147

D728,484	S *	5/2015	Fries	D13/147
D735,141	S *	7/2015	Fries	D13/147
D736,711	S *	8/2015	Fries	D13/147
D779,432	S *	2/2017	Wong	D10/97
D779,433	S *	2/2017	Fries	D13/133
2002/0103423	A1	8/2002	Chin et al.	
2008/0076980	A1	3/2008	Hoarau	
2008/0076995	A1	3/2008	Hoarau	
2008/0076996	A1	3/2008	Hoarau	
2010/0144207	A1 *	6/2010	Yuan	H01R 13/71 439/660

FOREIGN PATENT DOCUMENTS

EP	1945099	A1	4/2007
JP	2005052385	A2	3/2005
JP	2005110816	A2	4/2005

(Continued)

Primary Examiner — Garth Rademaker

Assistant Examiner — Richard Kearney

(74) *Attorney, Agent, or Firm* — Fletcher Yoder PC

(57) **CLAIM**

We claim the ornamental design for a sensor cable and connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensor cable and connector with the moveable cover in a closed position;


FIG. 2 is a top view of the sensor cable and connector of FIG. 1;

FIG. 3 is a bottom view of the sensor cable and connector of FIG. 1; and,

FIG. 4 is a side view of the sensor cable and connector, the opposite side being a mirror image thereof.

The sensor cable and connector has been shown with break lines along its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

FOREIGN PATENT DOCUMENTS

JP	2006061566	A2	3/2006
JP	2007117641	A	5/2007
JP	2007167183	A	7/2007
JP	2007167184	A	7/2007
JP	2007190122	A	8/2007

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4