



US00D794583S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,583 S**
Kuriki (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **LIGHT EMITTING DIODE**

FOREIGN PATENT DOCUMENTS

(71) Applicants: **CITIZEN ELECTRONICS CO., LTD.**, Yamanashi-ken (JP); **CITIZEN WATCH CO., LTD.**, Tokyo (JP)

JP 1431629 1/2012

(72) Inventor: **Shingo Kuriki**, Yamanashi (JP)

OTHER PUBLICATIONS

(73) Assignees: **CITIZEN ELECTRONICS CO., LTD.**, Yamanashi (JP); **CITIZEN WATCH CO., LTD.**, Tokyo (JP)

Design U.S. Appl. No. 29/509,861, filed Nov. 21, 2014.
Design U.S. Appl. No. 29/509,865, filed Nov. 21, 2014.
Design U.S. Appl. No. 29/546,044, filed Nov. 18, 2015.

(**) Term: **15 Years**

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Wenderoth, Lind & Ponack, L.L.P.

(21) Appl. No.: **29/588,534**

(57) **CLAIM**

(22) Filed: **Dec. 21, 2016**

The ornamental design for a light emitting diode, as shown and described.

Related U.S. Application Data

(62) Division of application No. 29/546,041, filed on Nov. 18, 2015.

DESCRIPTION

(30) **Foreign Application Priority Data**

May 20, 2015 (JP) D2015-011004
May 20, 2015 (JP) D2015-011005
May 20, 2015 (JP) D2015-011020

FIG. 1 is a perspective view of a first embodiment of a light emitting diode showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a bottom plan view thereof;
FIG. 8 is a perspective view of a second embodiment of a light emitting diode showing our new design;
FIG. 9 is a top plan view thereof;
FIG. 10 is a front elevational view thereof;
FIG. 11 is a rear elevational view thereof;
FIG. 12 is a left side elevational view thereof;
FIG. 13 is a right side elevational view thereof; and,
FIG. 14 is a bottom plan view thereof.

(51) **LOC (10) Cl.** **13-03**
(52) **U.S. Cl.**

(58) **Field of Classification Search**
USPC **D13/180**
CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
(Continued)

The broken line showing is included for the purpose of illustrating portions of the article and boundaries of the claimed subject matter and forms no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D150,498 S 2/1947 Hazelton
D615,052 S 5/2010 Imai
D669,041 S 10/2012 Imai

(Continued)

1 Claim, 10 Drawing Sheets



(58) **Field of Classification Search**
 CPC H01L 33/20; H01L 33/38; H01L 33/42;
 H01L 33/48; H01L 33/483; H01L 33/486
 See application file for complete search history.

(56) **References Cited**
 U.S. PATENT DOCUMENTS

D683,708 S	6/2013	Sasano	
8,455,908 B2 *	6/2013	Welch	H01L 25/0753 257/100
D689,451 S	9/2013	Shimonishi	
D698,322 S	1/2014	Takeda	
8,632,226 B2	1/2014	Hata	
D706,231 S	6/2014	Hussell	
D707,192 S	6/2014	Hussell	
D709,041 S	7/2014	Yu	
8,833,982 B2 *	9/2014	Funakubo	F21V 21/00 313/46

8,835,931 B2	9/2014	Wirth	
D721,339 S	1/2015	Hussell	
D727,273 S	4/2015	Oka et al.	
9,018,648 B2	4/2015	Chiu	
9,018,832 B2	4/2015	Agatani	
9,029,905 B2	5/2015	Lin	
9,057,501 B2	6/2015	Cho	
9,059,376 B2	6/2015	Chou	
9,130,140 B2	9/2015	Tsuchiya	
9,146,026 B2	9/2015	Funakubo	
D750,581 S	3/2016	Eguchi	
D751,517 S	3/2016	Kuriki	
D767,515 S *	9/2016	Eguchi	D13/180
D770,987 S *	11/2016	Ishimori	D13/180
D771,579 S *	11/2016	Eguchi	D13/180
9,490,235 B2 *	11/2016	Edmond	H01L 25/0753
D778,246 S *	2/2017	Kuriki	D13/180
2012/0126257 A1	5/2012	Reiherzer	
2015/0146425 A1 *	5/2015	Huang	F21K 9/00 362/249.02

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14

