

US00D794691S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,691 S**  
**Yano** (45) **Date of Patent:** **\*\* Aug. 15, 2017**

(54) **DRILLING TOOL**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Sumitomo Electric Hardmetal Corp.**,  
Itami-shi (JP)

TW D156297 10/2013

(72) Inventor: **Kazuya Yano**, Itami (JP)

OTHER PUBLICATIONS

(73) Assignee: **SUMITOMO ELECTRIC  
HARDMETAL CORP.**, Itami-shi (JP)

Notice of Allowance in Taiwanese Design Application No.  
103304982 dated Apr. 9, 2015.

(Continued)

(\*\*) Term: **14 Years**

*Primary Examiner* — Susan Bennett Hattan

(21) Appl. No.: **29/500,563**

*Assistant Examiner* — Brett Miller

(22) Filed: **Aug. 26, 2014**

(74) *Attorney, Agent, or Firm* — Venable LLP; Michael  
A. Sartori; Laura G. Remus

(30) **Foreign Application Priority Data**

Feb. 26, 2014 (JP) ..... 2014-003860  
Feb. 26, 2014 (JP) ..... 2014-003905  
Feb. 26, 2014 (JP) ..... 2014-003906

(57) **CLAIM**

The ornamental design for a drilling tool, as shown and  
described.

(51) **LOC (10) Cl.** ..... **15-09**

(52) **U.S. Cl.**  
USPC ..... **D15/139**

**DESCRIPTION**

(58) **Field of Classification Search**  
USPC ..... D8/70; D15/139; 175/420.1, 415, 408,  
175/426  
CPC ..... B23B 2226/125; B23B 2226/315; B23B  
2251/18; B23B 51/02  
See application file for complete search history.

FIG. 1 is a perspective view of a drilling tool showing my  
new design, with a middle portion between dash-dot-dash  
lines omitted,  
FIG. 2 is a front view thereof, with a middle portion between  
dash-dot-dash lines omitted,  
FIG. 3 is a plan view thereof, with a middle portion between  
dash-dot-dash lines omitted,  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is an enlarged left side view thereof;  
FIG. 7 is an enlarged perspective view thereof;  
FIG. 8 is an enlarged front view thereof;  
FIG. 9 is an enlarged plan view thereof;  
FIG. 10 is an enlarged left side view thereof; and,  
FIG. 11 is a reduced front view thereof.

(56) **References Cited**


U.S. PATENT DOCUMENTS

5,195,403 A \* 3/1993 Sani ..... B23B 27/145  
175/428  
6,290,008 B1 \* 9/2001 Portwood ..... E21B 10/5676  
175/420.1  
D510,586 S \* 10/2005 Sollami ..... D15/139  
6,976,549 B2 \* 12/2005 Haussmann ..... B23B 51/00  
175/415  
D531,651 S \* 11/2006 Yanagimoto ..... D15/139  
D537,091 S \* 2/2007 Yanagimoto ..... D15/139  
D734,790 S \* 7/2015 O'Malley ..... D15/139

All broken lines shown in the drawings represent portions of  
the drilling tool that form no part of the claimed design.

(Continued)

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2004/0245023 A1\* 12/2004 Barry ..... E21D 21/0053  
175/420.1  
2008/0247899 A1\* 10/2008 Cho ..... B23B 51/02  
419/10  
2010/0145341 A1\* 6/2010 Ranck ..... B23B 51/02  
606/80  
2014/0014412 A1\* 1/2014 Brady ..... E21B 10/36  
175/415

OTHER PUBLICATIONS

Office Action in Taiwanese Application No. 103304982D01 dated  
Apr. 9, 2015.

Office Action in Taiwanese Application No. 103304982D02 dated  
Apr. 9, 2015.

\* cited by examiner

FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11

