

US00D794705S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,705 S**
Corcorran et al. (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **INSTRUMENT STRAP**

(71) Applicants: **Holly Corcorran**, Gold Bar, WA (US);
Patrick Corcorran, Gold Bar, WA
(US)

(72) Inventors: **Holly Corcorran**, Gold Bar, WA (US);
Patrick Corcorran, Gold Bar, WA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/535,121**

(22) Filed: **Aug. 4, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/811,774,
filed on Jul. 28, 2015, now Pat. No. 9,530,393, and a
continuation-in-part of application No. 14/811,782,
filed on Jul. 28, 2015, now Pat. No. 9,530,394.

(51) **LOC (10) Cl.** **17-99**

(52) **U.S. Cl.**
USPC **D17/20**

(58) **Field of Classification Search**
USPC D2/624–627, 639, 640; D3/327;
D16/242, 243; D17/3, 4, 14, 15, 17–21,
D17/24, 99; D24/190; D29/100,
D29/101.1–101.5
CPC G10G 5/00; G10G 5/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,903,081 A * 3/1933 Wotherspoon A41F 9/002
182/9
D249,386 S * 9/1978 Zacuto 224/258
D303,318 S * 9/1989 Clary D29/101.5
D314,394 S * 2/1991 Cardwell D16/243
D335,136 S * 4/1993 McMichael D17/20

D375,823 S * 11/1996 Bleiweis D2/627
D393,362 S * 4/1998 Byers D17/20
5,806,733 A * 9/1998 Smith A45C 13/30
224/264
D462,710 S * 9/2002 Babcock D17/20
D476,357 S * 6/2003 Gresco D17/20
D479,554 S * 9/2003 Boron D17/20
D489,182 S * 5/2004 Tilby D3/327
D508,516 S * 8/2005 Boone D17/20
D513,034 S * 12/2005 Boron D17/20
D553,328 S * 10/2007 King D2/624
D574,415 S * 8/2008 Koskela D17/20
D636,603 S * 4/2011 Cartwright D3/327
D663,955 S * 7/2012 Swaggart D3/327
8,269,085 B1 * 9/2012 Darbon G10G 5/005
224/265
D673,346 S * 1/2013 Kosh D2/639
(Continued)

Primary Examiner — Susan E Krakower

Assistant Examiner — Lisa A Grabenstetter

(74) *Attorney, Agent, or Firm* — Michelle E. Carey;
Telekta Law, P.S.

(57) **CLAIM**

The ornamental design for an instrument strap, as shown and
described.

DESCRIPTION

FIG. 1 is an isometric view of the instrument strap in a
folded condition, drawn in an enlarged view for ease of
illustration;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a back view thereof.

The broken lines found on the instrument strap in FIGS. 1-3
represent unclaimed stitching and form no part of the
claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D673,998 S *	1/2013	Wells	D17/20
D688,851 S *	9/2013	Parker	D2/627
D705,523 S *	5/2014	Henry	D2/853
D705,849 S *	5/2014	Bush	D17/20

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7