

US00D794710S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,710 S**
Turner et al. (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **DISPENSER**
(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)
(72) Inventors: **Traxton J. Turner**, Maplewood, MN (US); **Jordan C. Ducharme**, Minneapolis, MN (US); **Douglas P. Bodziak**, Lake Elmo, MN (US); **Jane E. Harvey Pennaz**, Roseville, MN (US); **Gerald E. Mueller**, Eagan, MN (US); **David J. Prince**, St. Paul, MN (US); **Daniel J. Tipping**, St. Paul, MN (US)
(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)
(**) Term: **15 Years**

(21) Appl. No.: **29/555,471**
(22) Filed: **Feb. 22, 2016**
(51) **LOC (10) Cl.** **19-02**
(52) **U.S. Cl.**
USPC **D19/86**
(58) **Field of Classification Search**
USPC D19/65, 75, 86, 90, 91, 92; D20/10, 19, D20/27, 42, 43
CPC .. A47G 2001/145; A47G 1/0616; A47G 1/14; A47G 1/141; B42D 5/04; B42D 5/005; B42D 5/006; B42D 5/007; B42D 5/008; B65D 83/08; B65D 83/0894; B65D 85/62; G09F 7/04; G09F 7/06
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
534,052 A * 2/1895 Ruhe A01K 63/003 119/269
2,023,260 A * 12/1935 Beers A47F 3/12 312/114

2,572,454 A * 10/1951 Down A47G 1/14 273/146
3,235,093 A * 2/1966 Eisbart A47F 7/163 211/169
3,235,118 A * 2/1966 Kewley A45C 5/04 217/12 R
3,577,666 A * 5/1971 Wexler A47G 1/14 40/720
D221,585 S * 8/1971 Moore D20/10
3,716,936 A * 2/1973 Miller A47G 1/14 40/720
3,771,246 A * 11/1973 Ebner A47G 1/14 40/720
3,774,332 A * 11/1973 Schneider G09F 1/12 40/720
3,826,406 A * 7/1974 Moniot B65D 83/0038 221/52
3,953,090 A * 4/1976 Fuchs B42D 5/005 206/459.5
4,195,729 A * 4/1980 Macken A47G 1/14 206/216

(Continued)

Primary Examiner — Elizabeth Albert
(74) *Attorney, Agent, or Firm* — Irina Hass


(57) **CLAIM**

The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing a new design for a dispenser;
FIG. 2 is a front view thereof, the rear, left side, and right side views being identical thereto; and,
FIG. 3 is a top view thereof, the bottom view being a mirror image.
The portions of the dispenser in FIGS. 1-3 shown in broken lines are included to show features that form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D264,352 S * 5/1982 Goutchat D19/92
4,854,060 A * 8/1989 Corbo A47G 1/141
40/539
5,263,576 A * 11/1993 Boreen B65D 43/20
206/455
5,309,657 A * 5/1994 Spencer A47F 5/02
40/473
5,630,512 A * 5/1997 Wells A47B 81/00
206/776
D483,580 S * 12/2003 Hansen D6/661
D485,453 S * 1/2004 Hansen D6/661
D486,322 S * 2/2004 Hansen D6/659
6,792,709 B1 * 9/2004 Fine A47G 1/0616
40/720
D498,502 S * 11/2004 Duke D20/10
D556,263 S * 11/2007 Gusdorf D19/90
D565,664 S * 4/2008 Gusdorf D19/90
7,540,106 B2 * 6/2009 Weiss A47G 1/14
40/539
2006/0269714 A1 * 11/2006 Kramer B42D 5/005
428/40.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3