



US00D794873S

(12) **United States Design Patent**
Farnsworth

(10) **Patent No.:** **US D794,873 S**

(45) **Date of Patent:** **** Aug. 15, 2017**

(54) **TETHERED ARM AND HAND COVERING**

5,419,014 A * 5/1995 Piantedosi A47L 13/19
15/104.94

(71) Applicant: **Kelly Farnsworth**, Landing, NJ (US)

5,442,816 A 8/1995 Seketa

6,253,381 B1 7/2001 Kelley

(72) Inventor: **Kelly Farnsworth**, Landing, NJ (US)

6,539,550 B1 4/2003 Flores

6,684,409 B2 * 2/2004 Fujihana A41D 19/0065

2/161.6

(**) Term: **15 Years**

D516,215 S * 2/2006 Jones D2/617

7,448,091 B2 11/2008 Kruss

(21) Appl. No.: **29/543,946**

(Continued)

(22) Filed: **Oct. 29, 2015**

OTHER PUBLICATIONS

Related U.S. Application Data

(63) Continuation of application No. 14/100,505, filed on Dec. 9, 2013, now abandoned.

ESafetySupplies, posted on Jul. 3, 2016, © 2008-2016 eSafety Supplies, Inc. [online], [site visited Aug. 31, 2016]. Available from Internet, <URL: <https://www.esafetysupplies.com/Other-Work-Gloves/>>.*

(51) **LOC (10) Cl.** **29-02**

(Continued)

(52) **U.S. Cl.**

USPC **D29/117.1**

(58) **Field of Classification Search**

USPC D2/610-623; D3/215, 269, 270, 271.1, D3/271.4, 271.9; D7/669; D20/33; D21/807; D24/190, 200, 214; D28/63; D29/113, 114, 116.1, 116.2, 117.1, 117.2, D29/118, 119, 120.1, 122, 123; D30/158; D32/40-43; 119/611; 2/158-160, 2/161.1-161.8, 162-170, 16-21, 907, 2/910, 917; 223/78-80; 401/6-8; 446/327, 328

CPC .. A41D 13/08; A41D 19/015; A41D 19/0058; A41D 19/0096; A41D 19/01505; A41D 19/01511; A41D 31/0055; A41F 1/06; A61B 19/04; A63B 71/146

See application file for complete search history.

Primary Examiner — Philip S Hyder

Assistant Examiner — Cary M Robinson

(74) *Attorney, Agent, or Firm* — Robert C. Montgomery; Montgomery Patent & Design LP.

(57)

CLAIM

The ornamental design for a tethered arm and hand covering, as shown and described.

DESCRIPTION

FIG. 1 is a perspective top side view of a tethered arm and hand covering showing my new design;

FIG. 2 is a front side view thereof;

FIG. 3 is a rear side view thereof;

FIG. 4 is a partial view of the left side view with the right side view being a mirror image thereof, and where the strap is omitted;

FIG. 5 is a top side view thereof; and,

FIG. 6 is a bottom side view thereof.


The cross-hatch shading is intended to convey a fabric surface texture.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,757,095 A 5/1930 Scorelle
4,346,699 A 8/1982 Little et al.
5,020,161 A 6/1991 Lewis, Sr.
D339,932 S * 10/1993 Hinds D20/33
5,380,078 A 1/1995 Baczkowski et al.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,056,148 B1 11/2011 Ballantyne et al.
D710,548 S * 8/2014 Salzman D29/117.1
2007/0136926 A1* 6/2007 Johnson B29C 41/14
2/159
2011/0277214 A1* 11/2011 Ochi A41D 19/0044
2/162
2013/0139294 A1* 6/2013 Zetune A41D 19/01505
2/163
2013/0174318 A1* 7/2013 Catena A41D 19/01547
2/161.8

OTHER PUBLICATIONS

Black Satin Gloves (Opera Length)~Great for Formal, Wedding, Theatrical, Costume Party (STC12083). Product listing [online]. Seasons Trading, 2010. [retrieved on Apr. 16, 2013]. Retrieved from the Internet: http://www.amazon.com/Gloves-Wedding-Theatrical-Costume-STC12083/dp/B0042Q19AS/ref=sr_1_1?ie=UTF8&qid=1366044107&sr=8-1&keywords=black+satin+opera+gloves (Sep. 12, 2010).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6