

US00D794996S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,996 S**
Nadal (45) **Date of Patent:** **** Aug. 22, 2017**

(54) **SOLID FUEL COOKING DEVICE**

(71) Applicant: **Fire Butler, LLC**, Beverly Hills, FL
(US)

(72) Inventor: **Vincent T. Nadal**, Beverly Hills, FL
(US)

(73) Assignee: **FIRE BUTLER, LLC**, Beverly Hills,
FL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/541,949**

(22) Filed: **Oct. 9, 2015**

(51) **LOC (10) Cl.** **07-04**

(52) **U.S. Cl.**
USPC **D7/332; D7/409**

(58) **Field of Classification Search**
USPC D7/323–337, 402–407, 362, 416, 417,
D7/357, 408; 126/25 R, 9 R; D23/343,
D23/415, 350, 348, 403, 409, 416, 418,
D23/419; D22/112; D26/8
CPC A47J 33/00; A47J 37/04; A47J 37/041;
A47J 37/07–37/0713;
A47J 37/718–37/0727; A47J 37/0731;
A47J 37/074; A47J 37/0781;
A47J 2037/0777; A47J 37/0786;
A47J 37/079; A47J 36/26; A47J 36/36;
F24B 1/02; F24B 1/022; F24B 1/18;
F24B 1/182; F24B 1/202; F24B 1/181;
F24C 3/14; F24C 1/16; F24C 15/10;
F23D 14/00–14/10; F23D 91/00;
B05B 17/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,042,273 A 10/1912 Roe
1,447,029 A 2/1923 Manchester
2,894,448 A 7/1959 Henderson et al.

3,217,634 A 11/1965 Fox
3,688,758 A 9/1972 Stephen et al.
3,765,397 A 10/1973 Henderson
D229,277 S 11/1973 Ming-Kong
D244,985 S 7/1977 Folke
D249,448 S 9/1978 Vache
4,430,985 A 2/1984 Huneycutt
4,592,334 A 6/1986 Logan, Jr.
D286,002 S * 10/1986 Brix D7/332
4,777,927 A 10/1988 Stephen et al.
5,074,279 A 12/1991 Sainsbury
5,094,221 A 3/1992 Ho

(Continued)

OTHER PUBLICATIONS

Product Details Part #307416, “Rapidfire® Chimney Starter,”
downloaded Oct. 8, 2015, pp. 1-6.

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Allen, Dyer, Doppelt +
Gilchrist, P.A. Attorneys at Law

(57) **CLAIM**

The ornamental design for a solid fuel cooking device, as
shown and described.

DESCRIPTION

FIG. 1 is a environmental perspective view thereof in a
solid-fuel cooker;

FIG. 2 is a multi-side perspective view thereof;

FIG. 3 is a multi-side perspective view thereof with the
cover thereof removed;


FIG. 4 is a front side view thereof;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.

The broken lines are included for the purpose of illustrating
unclaimed portions of the solid fuel cooking device as well
as unclaimed environmental structure. The broken lines in
the drawings form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,404,864 A4/1995Kent, Jr.

D379,900 S6/1997Gillam et al.

5,687,704 A11/1997Lerch et al.

5,797,386 A8/1998Orr

5,964,212 A10/1999Thompson

6,205,996 B13/2001Ryan

6,213,006 B14/2001Reardon et al.

6,302,096 B110/2001Duncan

6,598,598 B17/2003Bratsikas

D479,941 S9/2003Blanchette

6,688,301 B12/2004McNeill

7,032,587 B24/2006McNeill

D544,753 S6/2007Tseng

7,241,466 B27/2007Dellinger

D590,201 S*4/2009Zagar D7/335

D627,591 S11/2010Wade

8,166,870 B25/2012Badin

D680,799 S4/2013Chung

8,578,927 B211/2013Gustavsen

D701,721 S*4/2014Jan D7/332

8,887,709 B2*11/2014Ellis F24B 1/205

126/9 R

D740,607 S*10/2015Nadal D7/407

2005/0039612 A12/2005Denny

2006/0042475 A13/2006Craig

2007/0087297 A14/2007Long

2016/0183723 A1*6/2016Nadal A47J 37/0786

126/25 R

2016/0183724 A1*6/2016Nadal A47J 37/0763

126/25 R

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6