



US00D795025S

(12) **United States Design Patent**
Taylor

(10) **Patent No.:** **US D795,025 S**

(45) **Date of Patent:** **** Aug. 22, 2017**

(54) **BOTTLE INSULATOR WITH RESEALABLE CAP**

(71) Applicant: **Michael Taylor**, Mobile, AL (US)

(72) Inventor: **Michael Taylor**, Mobile, AL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/540,302**

(22) Filed: **Sep. 23, 2015**

(51) **LOC (10) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/624.3**

(58) **Field of Classification Search**
USPC D7/507, 601, 602, 607, 608, 619.1,
D7/624.1-624.3, 701, 703, 708; D3/202;
211/41.2, 57.1, 59.2, 66, 74, 94.01, 181.1,
211/189; 248/220.41, 303, 312.1;
D9/439, 711
CPC A47B 55/00; A47B 55/02; A47B 73/00;
A47B 73/002; A47B 73/004; A47B
73/006; A47B 73/008; A47B 69/00;
A47G 23/0266; A47J 47/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D276,203 S *	11/1984	Heweston	D7/607
D282,234 S *	1/1986	Henderson	D7/608
D304,890 S *	12/1989	Canaan	224/148.5
D379,711 S *	6/1997	Fitzgerald	D3/202
D387,248 S *	12/1997	Warren	D7/507
D396,776 S *	8/1998	Hughes	D11/148
6,059,140 A *	5/2000	Hicks	B65D 81/3879 220/6
D474,887 S *	5/2003	Forster	D3/229
D547,618 S *	7/2007	Exler	D7/619.1

D562,987 S *	2/2008	Colin	D24/224
D589,758 S *	4/2009	Mancha	D7/607
D590,212 S *	4/2009	Mancha, Jr.	D7/607
D601,311 S *	9/2009	DeSeguirant, Jr.	D30/160
D615,364 S *	5/2010	Fryman	D3/229
D625,513 S *	10/2010	Carnes	D3/229
D663,168 S *	7/2012	Khan	D7/607
D686,339 S *	7/2013	Shima	D24/224
D704,006 S *	5/2014	Gonzales	D7/607
D739,683 S *	9/2015	Krohn	D7/619.1
D744,787 S *	12/2015	Robb	D7/608
D751,866 S *	3/2016	Sokoly	D7/607
D754,486 S *	4/2016	Ott	D7/624.2
D780,442 S *	3/2017	Tidwell	D3/202
D781,112 S *	3/2017	Hennessy	D7/624.2
2008/0017654 A1 *	1/2008	Chu	B65D 81/3886 220/739

* cited by examiner

Primary Examiner — Keli L Hill
(74) *Attorney, Agent, or Firm* — AdamsIP, LLC; J. Hunter Adams; Stephen Thompson


(57) **CLAIM**

What is claimed is the ornamental design for a bottle insulator with a resealable cap, as shown.

DESCRIPTION

FIG. 1 is a front elevation view of a bottle insulator with resealable cap, embodying my new design, the rear view being identical thereto;
FIG. 2 is a side elevation view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a perspective view thereof; and,
FIG. 6 is another side view thereof, shown in use.
The broken lines in the drawings that represent the portions of a bottle are for the purpose of illustrating environment that forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6