



US00D795163S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,163 S**
Digman et al. (45) **Date of Patent:** **** Aug. 22, 2017**

(54) **TIRE**

2200/06; B60C 2200/065; B60C 2200/08;
(Continued)

(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(56) **References Cited**

(72) Inventors: **Brian David Digman**, Sagamore Hills, OH (US); **Charles Kenneth Schmalix**, Canal Fulton, OH (US); **Robert Steven Lundell**, Copley, OH (US); **Silvana Valencic-Laudato**, Akron, OH (US); **Michael Spiro Markoff**, Canton, OH (US); **Evan Russell Cogansparger**, Uniontown, OH (US); **Nicholas Anthony Gullatta**, North Canton, OH (US); **Bart Wakefield Kimble**, Stow, OH (US)

U.S. PATENT DOCUMENTS

D423,422 S 4/2000 Selover et al. D12/146
D432,956 S 10/2000 Ricquet D12/141
(Continued)

Primary Examiner — Manpreet Matharu
Assistant Examiner — Keith Wilson
(74) *Attorney, Agent, or Firm* — Robert N. Lipsik

(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**

(57) **CLAIM**

The ornamental design for a tire, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/562,305**

(22) Filed: **Apr. 25, 2016**



(51) **LOC (10) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/519**

(58) **Field of Classification Search**
USPC 152/5, 151, 152.1, 167, 208,
152/209.1–209.28, 246, 450, 526, 527,
152/532, 535, 538, 541; D12/145,
D12/500–605, 900–901; D21/425–435,
D21/495
CPC B60C 11/00; B60C 2011/0337; B60C
2011/0339; B60C 2011/0386; B60C 3/00;
B60C 3/08; B60C 1/00; B60C 2200/00;
B60C 2200/02; B60C 2200/04; B60C

FIG. 1 is a right side perspective view of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a left side perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is an enlarged fragmentary front elevational view thereof;
FIG. 7 is a right side perspective view of a second embodiment of a tire showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 8 is a front elevational view of a second embodiment, it being understood that an enlarged fragmentary view thereof would be substantially identical to that shown in FIG. 6, with the exception of the inclusion of the sidewall in solid lines; and,
FIG. 9 is a cross-sectional view taken along Line 9-9 of FIG. 3.
In the drawings, the broken lines showing of the sidewall, inner bead and the peripheral boundary between the tire

(Continued)



tread and the sidewall in FIGS. 1 through 6 depict environmental subject matter and form no part of the claimed design.

1 Claim, 9 Drawing Sheets

(58) **Field of Classification Search**

CPC B60C 2200/10; B60C 2200/12; B60C 2200/14; B60C 7/00; B60C 7/02; B60C 7/04; B60C 7/06; B60C 7/08; B60C 5/00; B60C 13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D451,441 S	12/2001	Weber	D12/146
D453,729 S	2/2002	Demagall et al.	D12/523
D461,155 S *	8/2002	Takechi	D12/209
D509,179 S *	9/2005	Ibaraki	D12/501
D510,307 S *	10/2005	Howes	D12/209
D516,490 S *	3/2006	Baer	D12/211
D523,386 S *	6/2006	Khan	D12/209
D559,767 S	1/2008	Graas et al.	D12/521
D583,755 S	12/2008	Takahashi	D12/596
D586,726 S *	2/2009	Baumard	D12/521
D597,474 S *	8/2009	Yamakawa	D12/519
D599,276 S	9/2009	Fontaine et al.	D12/519
D601,939 S *	10/2009	Fontaine	D12/519
D603,783 S *	11/2009	Carlton	D12/501
D608,712 S *	1/2010	Pollmann	D12/209
D609,161 S	2/2010	Fontaine et al.	D12/517
D609,627 S *	2/2010	Frappart	D12/523
D621,318 S *	8/2010	Elmitt	D12/209
D626,910 S	11/2010	Bott et al.	D12/519
D634,699 S	3/2011	Fontaine et al.	D12/517
D638,348 S	5/2011	Harvey et al.	D12/521
D639,719 S	6/2011	Harvey et al.	D12/521
D639,720 S	6/2011	Harvey et al.	D12/521
D641,677 S *	7/2011	Weil	D12/209
D643,800 S	8/2011	Riswanda	D12/523

D644,586 S *	9/2011	Baum	D12/209
D644,593 S	9/2011	Fontaine et al.	D12/523
D647,454 S *	10/2011	Fabing	D12/518
D647,456 S	10/2011	Behr	D12/519
D648,668 S	11/2011	Kujime	D12/519
D650,322 S	12/2011	Takahashi	D12/519
D659,065 S *	5/2012	Johnson	D12/209
D659,633 S	5/2012	Bindner et al.	D12/521
D665,335 S	8/2012	Baumard et al.	D12/517
D665,336 S	8/2012	Skurich et al.	D12/523
D667,358 S	9/2012	Fontaine et al.	D12/518
D668,598 S	10/2012	Hughes et al.	D12/521
D679,241 S	4/2013	Fehl et al.	D12/524
D689,430 S	9/2013	Fontaine et al.	D12/523
D692,371 S	10/2013	Fontaine et al.	D12/517
D694,702 S	12/2013	Leconte et al.	D12/521
D697,015 S *	1/2014	Nemeth	D12/211
D710,291 S *	8/2014	Mosko	D12/519
D716,217 S *	10/2014	Rittweger	D12/523
D726,085 S *	4/2015	Hodges	D12/209
D728,453 S	5/2015	Maxwell et al.	D12/523
D729,724 S *	5/2015	Mathis	D12/523
D730,269 S	5/2015	Maxwell et al.	D12/523
D731,955 S *	6/2015	Zhao	D12/519
D743,872 S *	11/2015	Huang	D12/519
D755,112 S *	5/2016	Jingjing	D12/523
D761,180 S *	7/2016	Bucher	D12/209
D762,552 S *	8/2016	Xue	D12/546
D763,162 S *	8/2016	Garbas	D12/211
D763,762 S *	8/2016	Ghobrial	D12/209
D764,369 S *	8/2016	Wheel	D12/209
D765,019 S *	8/2016	Chen	D12/523
D768,045 S *	10/2016	Curic	D12/209
D768,054 S *	10/2016	Wang	D12/523
2013/0186532 A1 *	7/2013	Kujime	B60C 11/0304 152/209.8
2015/0258858 A1 *	9/2015	Kujime	B60C 11/0304 152/209.8
2016/0152092 A1 *	6/2016	Sasaki	B60C 11/0302 152/209.18
2016/0185160 A1 *	6/2016	Mukai	B60C 11/0327 152/209.24
2016/0200148 A1 *	7/2016	Nomura	B60C 11/0304 152/209.8

* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6




FIG-7




FIG-8




FIG-9