



US00D795178S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,178 S**
Maxwell et al. (45) **Date of Patent:** **** Aug. 22, 2017**

(54) **TIRE SIDEWALL**
(71) Applicant: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(72) Inventors: **Paul Bryan Maxwell, Kent, OH (US); Stephanie Sue Franks, Ravenna, OH (US)**
(73) Assignee: **The Goodyear Tire & Rubber Company, Akron, OH (US)**
(**) Term: **15 Years**
(21) Appl. No.: **29/559,573**
(22) Filed: **Mar. 30, 2016**
(51) **LOC (10) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/605**
(58) **Field of Classification Search**
USPC D12/500-605, 900; D5/30; D7/396.4, D7/396.5, 588; 152/DIG. 12, 209.1, 152/209.8, 209.9, 209.12, 209.16, 209.26, 152/209.27, 517, 523, 524, 902, 903
CPC B60C 13/00; B60C 13/001; B60C 13/02; B60C 1/00; B60C 1/0025; B60C 17/08
See application file for complete search history.

D542,220 S * 5/2007 Shondel D12/605
D543,497 S 5/2007 Maxwell et al. D12/605
D543,933 S 6/2007 Shondel D12/605
D549,168 S 8/2007 Shondel et al. D12/605
D552,536 S 10/2007 Shondel D12/605
D563,310 S 3/2008 Shondel D12/605
D567,169 S 4/2008 Maxwell et al. D12/605
D568,236 S 5/2008 Holden et al. D12/605
D569,338 S 5/2008 Shondel D12/605
D574,320 S 8/2008 Dixon D12/605
D581,352 S * 11/2008 Harvey D12/605
D581,353 S * 11/2008 Harvey D12/605
D581,354 S * 11/2008 Harvey D12/605
D583,313 S 12/2008 Harvey D12/605
D585,017 S 1/2009 Shondel D12/605
D585,018 S 1/2009 Shondel D12/605
D588,532 S 3/2009 Shondel D12/605
D590,332 S * 4/2009 Sato D12/605
D605,583 S * 12/2009 Scheifele D12/605
D606,933 S 12/2009 Palma et al. D12/605
D610,978 S 3/2010 Harvey et al. D12/605

(Continued)

Primary Examiner — Wan Laymon
Assistant Examiner — Clint A Samuel
(74) Attorney, Agent, or Firm — Robert N. Lipsik

(57) **CLAIM**

The ornamental design for a tire sidewall, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a tire sidewall showing our new design;
FIG. 2 is a perspective view thereof; and,
FIG. 3 is a cross-sectional view taken along line 3-3 of FIG. 1.

In the drawings, the broken lines showing of the tire tread, inner bead and the peripheral boundary between the tire tread and the sidewall in FIGS. 1 and 2 depict environmental subject matter and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
D450,274 S 11/2001 Ratliff, Jr. et al. D12/152
D492,648 S 7/2004 Maxwell et al. D12/605
D506,435 S 6/2005 Maxwell et al. D12/605
D517,003 S 3/2006 Shondel D12/605
D539,729 S 4/2007 Maxwell D12/605
D540,250 S 4/2007 Shondel D12/605
D540,739 S * 4/2007 Maxwell D12/605
D540,740 S 4/2007 Maxwell et al. D12/605
D541,211 S 4/2007 Shondel et al. D12/605



(56)

References Cited

U.S. PATENT DOCUMENTS

D610,980 S	3/2010	Shondel	D12/605
D618,163 S *	6/2010	Sato	D12/605
D628,959 S	12/2010	Harvey	D12/605
D638,784 S	5/2011	Scheifele	D12/605
D640,187 S	6/2011	Fontaine et al.	D12/605
D647,044 S	10/2011	Takemoto	D12/605
D647,473 S *	10/2011	Kujime	D12/605
D647,474 S *	10/2011	Takahashi	D12/605
D655,671 S *	3/2012	Yasunaga	D12/605
D665,337 S	8/2012	Fontaine et al.	D12/605
D667,369 S	9/2012	Fontaine et al.	D12/605
D667,782 S	9/2012	Mukai	D12/605
D670,644 S	11/2012	Miyazaki	D12/605
D684,111 S	6/2013	Vandaele	D12/605
D699,665 S	2/2014	Maxwell et al.	D12/605
D708,121 S *	7/2014	Iwabuchi	D12/605
D711,816 S *	8/2014	Iwabuchi	D12/605
D735,123 S *	7/2015	Iwabuchi	D12/605
D735,124 S *	7/2015	Iwabuchi	D12/605
D740,747 S *	10/2015	Sato	D12/605
D750,553 S *	3/2016	Scheifele	D12/605
D768,067 S *	10/2016	Kuwano	D12/605
D768,565 S *	10/2016	Yasunaga	D12/605
D773,985 S *	12/2016	Sakamoto	D12/605
D773,986 S *	12/2016	Nakamura	D12/605

* cited by examiner




FIG-1




FIG-2




FIG-3