



US00D795568S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,568 S**
Hardy (45) **Date of Patent:** **** Aug. 29, 2017**

(54) **WEARABLE DISPENSER**

(71) Applicant: **Mo-Dis Holdings, LLC**, Salt Lake City, UT (US)

(72) Inventor: **James L. Hardy**, North Salt Lake City, UT (US)

(73) Assignee: **Mo-Dis Holdings, LLC**, Salt Lake City, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/538,800**

(22) Filed: **Sep. 8, 2015**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/224; D3/215**

(58) **Field of Classification Search**

USPC D3/214–217, 221, 224, 226, 231, 247,
D3/265–268, 300, 303, 229–230,
D3/207–212, 218–219; D2/610, 614,
D2/624, 626–627, 629; D8/367, 371,
D8/394, 395; D9/440, 447, 719, 774
CPC A41F 1/00; A41F 9/00; A41F 9/002; A41F
9/02; A41F 9/025; A41F 17/02; A45F
3/00; A45F 3/005; A45F 3/006; A45F
5/02; A45F 5/021; A45F 5/022; A45F
5/06; A45C 1/04; D06F 55/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

193,613 A * 7/1877 Mills A45F 5/02
139/21
536,598 A * 4/1895 Brown A45F 5/02
139/72
653,609 A * 7/1900 Batt A45F 5/02
224/245
3,163,286 A * 12/1964 Covington, Jr. F42B 39/02
206/3
D252,695 S * 8/1979 Munz D3/224

D279,120 S * 6/1985 Spangler D21/683
5,931,363 A * 8/1999 Ammons, Jr. A45F 5/00
224/223
D424,294 S * 5/2000 Lundyn D3/226
D482,863 S * 12/2003 Flood D3/224
D522,744 S * 6/2006 Degroff D3/229

(Continued)

Primary Examiner — Jeffrey D Asch

Assistant Examiner — Rebekah A Caruso

(74) *Attorney, Agent, or Firm* — Durham Jones & Pinegar, P.C. Intellectual Property Law Group

(57) **CLAIM**

The ornamental design for a wearable dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a design for a wearable dispenser for pills, including nutritional supplements, candy and other items;

FIG. 2 is a top view of the wearable dispenser shown in FIG. 1;

FIG. 3 is a bottom view of the wearable dispenser shown in FIG. 1;

FIG. 4 is a first side view of the wearable dispenser shown in FIG. 1;

FIG. 5 is a second side view of the wearable dispenser shown in FIG. 1;


FIG. 6 is a first end view of the wearable dispenser shown in FIG. 1;

FIG. 7 is a second end view of the wearable dispenser shown in FIG. 1; and,

FIG. 8 is a perspective view showing the wearable dispenser being worn on an individual's wrist.

Broken lines are used in the drawings to illustrate features that form no part of the claimed design. Dash-dot-dash lines are used in the drawings to represent the bounds of the claim and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D554,855 S *	11/2007	Kershaw	D3/221
D637,665 S *	5/2011	Walsh	D21/683
D639,550 S *	6/2011	Buie, II	D3/224
D759,354 S *	6/2016	Nail	D2/866
2015/0102081 A1 *	4/2015	Ellis	A45F 5/021
			224/600
2016/0001958 A1 *	1/2016	Hardy	A61J 7/0015
			426/2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8