



US00D795674S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,674 S**
Schroll (45) **Date of Patent:** **** Aug. 29, 2017**

(54) **SET OF COMPONENTS FOR UPGRADING A LOCK**

(71) Applicant: **The Eastern Company**, Wheeling, IL (US)

(72) Inventor: **Matthew D Schroll**, Glendale Heights, IL (US)

(73) Assignee: **THE EASTERN COMPANY**, Wheeling, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/620,127**

(22) Filed: **Jul. 13, 2016**

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.** **D8/343**
USPC

(58) **Field of Classification Search**

USPC D8/330, 331, 343, 339, 349, 400; 70/14,
70/20, 25, 26, 51, 57, 52, 431, 372, 370,
70/365, 222; 292/137, 288

CPC . E05B 9/02; E05B 9/004; E05B 15/04; E05B
201/0496; E05B 19/10

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,160,105 A	11/1915	Bodenstein	292/27
1,268,503 A	6/1918	Shaw	70/81
1,384,022 A	7/1921	Best	70/340
1,937,942 A	12/1933	Briggs	70/29

(Continued)

Primary Examiner — Prabhakar G Deshmukh

(74) *Attorney, Agent, or Firm* — David A. Burge

(57) **CLAIM**

I claim the ornamental design for a set of components for upgrading a lock, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, left perspective view of a set of components for upgrading a lock showing my new design; FIG. 2 is a bottom, rear, left perspective view thereof; FIG. 3 is a bottom, Front, right perspective view of the first component of the upgrading lock;

FIG. 4 is a top plan view of FIG. 3;

FIG. 5 is a bottom plan view of FIG. 3;

FIG. 6 is a rear elevational view of FIG. 3;

FIG. 7 is a front elevational view of FIG. 3;

FIG. 8 is a left side elevational view of FIG. 3;

FIG. 9 is a perspective view of a second component of the upgrading lock;

FIG. 10 is a top plan view of FIG. 9;

FIG. 11 is a bottom plan view of FIG. 9;

FIG. 12 is a front elevational view of FIG. 9, the rear elevational view being a mirror image thereof;

FIG. 13 is a perspective view of a third component of the upgrading lock;

FIG. 14 is a top plan view of FIG. 13;

FIG. 15 is a bottom plan view of FIG. 13;

FIG. 16 is a rear elevational view of FIG. 13;

FIG. 17 is a front elevational view of FIG. 13;

FIG. 18 is a left side elevational view of FIG. 13, the right side elevational view being a mirror image thereof;

FIG. 19 is a perspective view of a fourth component of the upgrading lock;

FIG. 20 is a top plan view of FIG. 19;

FIG. 21 is a bottom plan view of FIG. 19;

FIG. 22 is a rear elevational view of FIG. 19;


FIG. 23 is a front elevational view of FIG. 19; and,

FIG. 24 is a left side elevational view of FIG. 19, the right side elevational view being a mirror image thereof.

The broken lines illustrate unclaimed portions and form no part of the claimed design.

Any portions of the components of the set not shown form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2,093,038 A *

9/1937

Douglas

B60K 37/06

248/27.3

2,115,680 A

4/1938

Dyson

292/194

70/364

2,123,940 A

7/1938

Gray

70/139

70/364

2,255,402 A

9/1941

Vile

70/340

70/364

2,580,882 A

1/1952

Blohm

70/455

70/364

2,782,625 A

2/1957

Williams

E05C 3/042

70/372

2,804,765 A *

9/1957

Biblin

70/79

70/372

2,852,926 A

9/1958

Chervenka

E05B 9/04

248/27.1

3,190,092 A *

6/1965

Patriquin

70/364

70/364

3,212,307 A

10/1965

Hallgren

70/363

70/364

3,261,188 A

7/1966

Kerr

70/367

70/363

3,336,774 A

8/1967

Gray et al.

70/369

70/367

3,399,555 A

9/1968

Gray et al.

292/62

70/369

3,402,958 A

9/1968

Barry

70/421

292/62

3,418,833 A

12/1968

Kerr

E05B 9/084

70/421

3,503,233 A *

3/1970

Armstrong

70/370

70/370

3,581,534 A

6/1971

Testa

70/383

70/383

3,789,638 A

2/1974

Roberts et al.

E05B 9/04

70/366

4,689,978 A *

9/1987

Drummond

70/372

70/372

D350,686 S

9/1994

Myers

D8/343

D8/343

D365,011 S

12/1995

Myers

E05B 15/1635

D8/331

5,479,800 A *

1/1996

Myers

D8/343

70/365

D398,153 S *

9/1998

Rubensson

D8/343

D8/343

D469,680 S

2/2003

Laabs

D8/346

D8/343

D474,102 S

5/2003

Laabs et al.

D8/343

D8/346

D477,984 S

8/2003

Laabs et al.

D8/343

D8/343

D482,596 S *

11/2003

Laabs

D8/343

D8/343

D490,686 S *

6/2004

Martin

292/165

D8/343

6,854,774 B2

2/2005

Magnusson

E05B 17/04

292/165

6,868,705 B2 *

3/2005

Miao

292/66

292/165

7,021,679 B2

4/2006

Magnusson

D8/336

292/66

D551,941 S

10/2007

Miao et al.

D15/28

D8/336

D634,605 S *

3/2011

Guimaraes

292/95

D15/28

2004/0183312 A1

9/2004

Magnusson

292/140

292/95

2005/0151378 A1

7/2005

Magnusson

292/140

292/165

2014/0319849 A1

10/2014

Kamin et al.

292/140

292/140

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24