

US00D795680S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,680 S**  
**Balas** (45) **Date of Patent:** **\*\* Aug. 29, 2017**

(54) **BRACKET WITH GROOVED TRACK WHEEL**

(71) Applicant: **BALAS DESIGN LTD**, Netanya (IL)

(72) Inventor: **Nahum Balas**, Herzelia (IL)

(73) Assignee: **BALAS DESIGN LTD** (IL)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/539,739**

(22) Filed: **Sep. 17, 2015**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/375**

(58) **Field of Classification Search**

USPC ..... D8/373, 375, 374, 382, 354, 377, 358,  
D8/356, 359; D10/72, 61, 62; D12/19,  
D12/501, 204; D24/138; D3/318, 279,  
D3/271.12, 24; D15/67; D14/484;  
D34/27, 14, 19, 24, 25; D21/424, 425,  
D21/533, 534, 535, 536; D25/48.4;  
D22/140, 137; D13/107  
CPC ..... B65H 35/0026; B65H 35/0033; B65H  
35/008; B65H 35/0073; B65H 37/007;  
B65H 35/0086; B65H 35/06; B65H  
16/005; B65H 2407/51; B65H 35/002;  
B65H 35/004; B65H 37/005; B65H  
2402/412; B65H 2701/113; B65H 16/02;  
B65H 2301/41398; B65H 2402/41; B65H  
2407/10; B65H 2601/326; B65H 2701/37;  
B65H 35/0046; B65H 49/205; B65H  
75/185; B65H 75/305; B65H 18/28;  
B65H 2301/41282; B65H 2301/4132;  
B65H 2301/51122; B65H 2402/30; B65H  
2402/411; B65H 2402/413; B65H  
2402/44; B65H 2402/443; B65H 2402/61;  
B65H 2402/631; B65H 2403/725; B65H  
2405/453; B65H 2406/30; B65H 2601/10;  
B65H 2601/25; B65H 2601/521; B65H  
2701/1722; B65H 2701/1942; B65H

2701/1944; B65H 2701/35; B65H  
2701/535; B65H 2701/537; B65H  
2801/81; B65H 35/00; B65H 35/10;  
B65H 37/00; B65H 39/16; B65H 41/00;  
B65H 75/08; B65H 75/16; B65H 75/245;  
B65H 75/32;

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,987,232 A \* 6/1961 Burdick ..... B65H 35/0026  
225/26  
2,988,944 A \* 6/1961 Bevier ..... B65H 35/0066  
83/233

(Continued)

*Primary Examiner* — Robert M Spear

*Assistant Examiner* — Eliza Bennett-Hattan

(74) *Attorney, Agent, or Firm* — Carter, DeLuca, Farrell  
& Schmidt, LLP

(57) **CLAIM**

The ornamental design for a bracket with grooved track wheel, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, perspective view of a bracket with grooved track wheel in accordance with the principles of the present design;

FIG. 2 is a rear, perspective view of the bracket with grooved track wheel of FIG. 1;


FIG. 3 is a side view of the bracket with grooved track wheel of FIG. 1;

FIG. 4 is a top view of the bracket with grooved track wheel of FIG. 1; and,

FIG. 5 is a bottom view of the bracket with grooved track wheel of FIG. 1.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**





(58) **Field of Classification Search**

CPC ..... B65H 75/4421; B65H 75/4436; B65H  
75/4439

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,799,417 A \* 3/1974 Williams ..... B65H 35/002  
225/7  
D265,885 S \* 8/1982 Smith ..... D8/358  
8,435,377 B1 \* 5/2013 Greenhalgh ..... B65H 35/0046  
156/278  
D722,487 S \* 2/2015 Miller ..... D8/356  
D739,216 S \* 9/2015 Cole ..... D8/375  
2004/0194896 A1 \* 10/2004 Steinberger ..... B65H 35/0033  
156/577  
2004/0195130 A1 \* 10/2004 Chandaria ..... B65H 35/0073  
206/411  
2012/0090791 A1 \* 4/2012 Blanchfield ..... B65H 35/0046  
156/510  
2014/0224413 A1 \* 8/2014 Tullos ..... B32B 38/0004  
156/227  
2015/0183609 A1 \* 7/2015 Broen ..... B65H 35/0026  
242/562  
2016/0237320 A1 \* 8/2016 Yamamoto ..... C09J 7/0264

\* cited by examiner






FIG. 1






FIG. 2






FIG. 3






FIG. 4






FIG. 5