



US00D795777S

(12) **United States Design Patent**
Valencia Pollex

(10) **Patent No.:** **US D795,777 S**

(45) **Date of Patent:** **** Aug. 29, 2017**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Andreas Valencia Pollex**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/578,273**

(22) Filed: **Sep. 20, 2016**

(30) **Foreign Application Priority Data**

Mar. 21, 2016 (EM) 003 037 712-0002

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/211**

(58) **Field of Classification Search**
USPC D12/204-213
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B 7/01; B60B 7/06; B60B 3/02; B60B 3/04; B60B 3/06; B60B 3/10; B60B 1/00; B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D392,239 S *	3/1998	Cullen	D12/211
D415,991 S *	11/1999	Wang	D12/211
D477,556 S *	7/2003	Koch	D12/211
D508,007 S *	8/2005	Koch	D12/211
D525,184 S *	7/2006	Huet	D12/211

D535,935 S *	1/2007	Scheu	D12/211
D596,552 S *	7/2009	Beermann	D12/211
D617,717 S *	6/2010	Nordmann	D12/211
D622,197 S *	8/2010	Zhao	D12/209
D639,225 S *	6/2011	Forschner	D12/211
D639,226 S *	6/2011	Juergens	D12/211
D669,007 S *	10/2012	Starr, Jr.	D12/209
D671,060 S *	11/2012	Baum	D12/209
D671,479 S *	11/2012	Gonser	D12/209
D673,494 S *	1/2013	Lemke	D12/209
D686,965 S *	7/2013	Pollmann	D12/211
D717,711 S *	11/2014	Kern	D12/211
D738,281 S *	9/2015	Watkin	D12/211
D739,329 S *	9/2015	Watkin	D12/211
D745,842 S *	12/2015	Wheel	D12/209
D748,031 S *	1/2016	Miyazawa	D12/209
D759,565 S *	6/2016	Cybulski	D12/209
D760,138 S *	6/2016	Henderson	D12/209
D774,435 S *	12/2016	Vartola	D12/209
D774,437 S *	12/2016	Nakano	D12/209
D774,438 S *	12/2016	Valencia Pollex	D12/209
D786,767 S *	5/2017	Bjerke	D12/209
D789,866 S *	6/2017	Giolito	D12/211

* cited by examiner

Primary Examiner — Stacia Cadmus

(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP; Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and, FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets







Fig. 1



Fig. 2