



US00D795823S

(12) **United States Design Patent** (10) **Patent No.:** **US D795,823 S**
Aoyagi et al. (45) **Date of Patent:** **** Aug. 29, 2017**

(54) **COMPONENT FOR ELECTRONIC DEVICE**

(56) **References Cited**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Shota Aoyagi**, San Francisco, CA (US);
Richard P. Howarth, San Francisco,
CA (US); **Shayan Malek**, San Jose, CA
(US); **Scott A. Myers**, San Francisco,
CA (US); **David A. Pakula**, San
Francisco, CA (US); **Gregory Nicolaus
Stephens**, Sunnyvale, CA (US)

5,121,297 A	6/1992	Haas
5,206,792 A	4/1993	Reynolds
6,104,613 A	8/2000	Urda et al.
6,235,995 B1	5/2001	Cheng et al.
6,479,755 B1	11/2002	Kim et al.
6,542,358 B1	4/2003	Kunz et al.
D508,681 S	8/2005	Enderlein et al.
7,052,296 B2	5/2006	Yang et al.
D525,213 S	7/2006	Enderlein et al.
D556,158 S	11/2007	Kong
7,492,596 B1	2/2009	Peng et al.
7,583,505 B2	9/2009	Wakabayashi et al.
D637,157 S	5/2011	Andre et al.
D637,192 S	5/2011	Andre et al.
D637,193 S	5/2011	Andre et al.
D652,041 S	1/2012	Andre et al.
8,243,450 B2	8/2012	Takeguchi et al.
D673,515 S	1/2013	Corbin et al.
8,477,512 B2	7/2013	Zheng et al.

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/581,007**

(22) Filed: **Oct. 14, 2016**

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 29/501,054, filed on
Aug. 29, 2014, now Pat. No. Des. 769,833.

Primary Examiner — Elizabeth J Oswecki

(51) **LOC (10) Cl.** **13-03**

(74) *Attorney, Agent, or Firm* — Sterne, Kessler,
Goldstein & Fox P.L.L.C.

(52) **U.S. Cl.**

(57) **CLAIM**

USPC **D13/182**

The ornamental design for a component for electronic
device, as shown.

(58) **Field of Classification Search**

DESCRIPTION


USPC D13/182; D14/436

CPC H05K 13/04; H05K 13/0486; H05K 3/36;
H05K 3/361; H05K 3/363; H05K 3/0061;
H05K 3/0058; H05K 3/30; H05K 3/301;
H05K 3/303; H05K 3/34; H05K 3/0052;
H05K 3/284; H05K 2201/0715; H05K
1/0393; H05K 1/118; H05K 1/028; H05K
1/11; H05K 1/144; H05K 1/141; H05K
1/142; H05K 1/182; H05K 7/1429; H01L
21/4853; H01L 2924/14; G06F 1/184;
G06F 1/183; G06F 1/181; G06F 1/185;
G06F 1/186; G06F 1/18

FIG. 1 is a front perspective view of a component for
electronic device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

See application file for complete search history.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D700,899 S 3/2014 Corbin et al.
D709,894 S * 7/2014 Fetterman D14/436
D716,310 S 10/2014 Andre et al.
D742,338 S 11/2015 Akana et al.
D742,883 S 11/2015 Akana et al.
D743,399 S 11/2015 Frank
D767,572 S * 9/2016 Akana D14/439
D768,134 S * 10/2016 Andre D14/436
D769,833 S * 10/2016 Aoyagi D13/182
2002/0131253 A1 9/2002 Kobayashi
2006/0067054 A1 3/2006 Wang et al.
2010/0126760 A1 5/2010 Ishikawa
2010/0265675 A1 * 10/2010 Aoki H05K 5/0269
361/752
2011/0043994 A1 * 2/2011 Cheng G06F 1/187
361/679.33
2013/0070410 A1 * 3/2013 Chen G06F 1/185
361/679.31
2014/0302363 A1 * 10/2014 Miyawaki H01M 2/1022
429/90

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7