



US00D796064S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,064 S**
Siegel et al. (45) **Date of Patent:** **** Aug. 29, 2017**

(54) **FITTING**

- (71) Applicant: **Apple Inc.**, Cupertino, CA (US)
- (72) Inventors: **Jonathan P. Siegel**, San Francisco, CA (US); **Scott David Hazard**, Campbell, CA (US); **Stefan Behling**, London (GB); **David Summerfield**, London (GB); **David Nelson**, London (GB); **James McGrath**, Cupertino, CA (US); **Rafe Bertram**, London (GB); **Nicos Yiatros**, London (GB); **Graham Coulter**, Milford (GB); **Vladimir Marinov**, London (GB); **Franklin Lancaster**, Brooklyn, NY (US); **Holger Krueger**, Schwabmuenchen (DE); **Stefan Marinitsch**, London (GB); **Michael C. Mulhern**, Westford, MA (US)
- (73) Assignee: **Apple Inc.**, Cupertino, CA (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/550,302**
- (22) Filed: **Dec. 31, 2015**

Related U.S. Application Data

- (63) Continuation of application No. 29/486,444, filed on Mar. 28, 2014, now Pat. No. Des. 747,002.
- (51) **LOC (10) Cl.** **25-04**
- (52) **U.S. Cl.**
USPC **D25/68**
- (58) **Field of Classification Search**
USPC D25/62-69; 52/188, 179; 403/292, 388;
29/525.01; 16/319, 338; D8/354, 380,
D8/381
CPC . E06C 7/00; E06C 1/393; E06C 7/423; E06C
1/14; E06C 1/383; E05D 5/0246; E05D
2700/10

See application file for complete search history.

(56)

References Cited**U.S. PATENT DOCUMENTS**

3,685,783 A *	8/1972	Hilson	B28B 23/005 238/377
6,554,236 B2 *	4/2003	Marsh	A47B 57/48 248/235
D478,999 S *	8/2003	Jobs	D25/62
7,165,362 B2 *	1/2007	Jobs	B32B 17/10009 52/179
7,757,443 B2 *	7/2010	Ringness	E04F 11/025 248/250
D695,913 S *	12/2013	Backus	D25/63
D715,963 S *	10/2014	Andreini	D25/62
D747,002 S *	1/2016	Siegel	D25/62
2014/0079474 A1 *	3/2014	Andreini	F16B 5/0004 403/292

* cited by examiner

Primary Examiner — Thomas Johannes*Assistant Examiner* — Gino Colan(74) *Attorney, Agent, or Firm* — Sterne, Kessler,
Goldstein & Fox P.L.L.C.


(57)

CLAIM

The ornamental design for a fitting, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a fitting showing our new design;
FIG. 2 is a right side thereof;
FIG. 3 is a left side thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.
The broken lines in the Figures show portions of the fitting that form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG.6




FIG.7