



US00D796124S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,124 S**
Ying (45) **Date of Patent:** **** Aug. 29, 2017**

(54) **PET LEASH**

(71) Applicant: **Felix Ying**, Pueblo, CO (US)

(72) Inventor: **Felix Ying**, Pueblo, CO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/530,618**

(22) Filed: **Jun. 18, 2015**

(51) **LOC (10) Cl.** **30-04**

(52) **U.S. Cl.**
USPC **D30/153**

(58) **Field of Classification Search**
USPC D30/144, 151, 152, 153, 154, 199;
D8/107, 300; D21/682, 732, 777;
D22/117; 441/69; 242/381.2; 119/712,
119/769, 770, 792, 793, 794, 795, 796,
119/797, 798, 856, 857, 858, 863
CPC A01K 27/003
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|---------|------------|-------|------------------------|
| 1,509,781 | A * | 9/1924 | Roth | | A01K 27/001 119/795 |
| 4,974,549 | A * | 12/1990 | Gordon | | A01K 27/00 119/793 |
| D374,518 | S * | 10/1996 | McIntyre | | D30/153 |
| D382,379 | S * | 8/1997 | Smith | | D30/153 |
| D417,317 | S * | 11/1999 | Greer | | D30/153 |
| 6,619,238 | B1 * | 9/2003 | Amato | | A01K 27/003 119/792 |
| D695,469 | S * | 12/2013 | Dougherty | | D30/152 |
| D749,276 | S * | 2/2016 | Krysak | | D30/153 |
| 2007/0084417 | A1 * | 4/2007 | Falwell | | A01K 1/04 119/795 |
| 2008/0149044 | A1 * | 6/2008 | Reaves | | A01K 27/005 119/798 |
| 2015/0152942 | A1 * | 6/2015 | Kindstrand | | D07B 1/18 24/122.3 |

(Continued)

OTHER PUBLICATIONS

“Mazzella 6x25 IWRC Swage Wire Rope Mechanical Splice Sling”. Found online Oct. 28, 2016 at iriggingsells.blogspot.com. Page dated Oct. 6, 2011. Retrieved from http://iriggingsells.blogspot.com/2011/10/mazzella-6-x-25-iwrc-swage-wire-rope_06.html.*

(Continued)

Primary Examiner — Robert M. Spear

(74) *Attorney, Agent, or Firm* — Leyendecker & Lemire


(57) **CLAIM**

The ornamental design for a pet leash, as shown and described.

DESCRIPTION

FIG. 1 is a bottom front-left perspective view of a pet leash, showing my new design;
FIG. 2 is a top-rear plan view thereof;
FIG. 3 is a top-front plan view thereof;
FIG. 4 is a bottom-rear plan view thereof;
FIG. 5 is a bottom-front plan view thereof;
FIG. 6 is a right-rear side elevational view thereof;
FIG. 7 is a left-rear side elevational view thereof;
FIG. 8 is a front-right elevational view thereof;
FIG. 9 is a front-left elevational view thereof;
FIG. 10 is a rear elevational view thereof; and,
FIG. 11 is an elevational cross section view thereof, taken in the direction of line 11-11 of FIG. 5.
The rope portion of the pet leash is shown with symbolic break in its length indicated by dash-dot-dash break lines. The dash-dot-dash break lines and the appearance of any portion of the article between the dash-dot-dash break lines forms no part of the claimed design. In the drawings, the broken line showing a bolt snap depicts environmental subject matter only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0257369 A1* 9/2015 van Leeuwen A01K 27/003
119/770

OTHER PUBLICATIONS

“DIY Ombre Rope Leash”. Found online Oct. 5, 2016 at curbly.com. Page dated Jun. 20, 2013. Retrieved from <http://www.curbly.com/users/capreek/posts/15120-how-to-make-a-modern-dip-dyed-rope-dog-leash>.*

“Using the Surflon System”. Found online Oct. 5, 2016 at wirecablespecialties.com. Page dated Jun. 13, 2014. Retrieved from <https://web.archive.org/web/20140613160027/http://www.wirecablespecialties.com/product-p/12345678911.htm>.*

“Climbing Rope Dog Leash”, Found online Oct. 5, 2016 at etsy.com. Page dated Mar. 21, 2014. Retrieved from https://www.etsy.com/listing/121134740/climbing-rope-dog-leash?ga_ship_to=US&ref=sr_gallery_13&ga_view_type=gallery&ga_search_type=all&ga_search_query=dog+leash&ga_ref=auto11.*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11