



US00D796351S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,351 S**  
**Bianchi** (45) **Date of Patent:** **\*\* Sep. 5, 2017**

(54) **TEMPERATURE CONTROL DEVICE**

(71) Applicant: **IKROTEC S.R.L.**, Brescia (IT)

(72) Inventor: **Carlo Bianchi**, Cologne (DE)

(73) Assignee: **I.V.A.R. S.P.A.**, Prevalle (IT)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/548,253**

(22) Filed: **Dec. 11, 2015**

(30) **Foreign Application Priority Data**

Jun. 18, 2015 (EM) ..... 002721951-0001  
Jun. 18, 2015 (EM) ..... 002721951-0002  
Jun. 18, 2015 (EM) ..... 002721951-0003  
Jun. 18, 2015 (EM) ..... 002721951-0004

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/49; D10/70; D14/358**

(58) **Field of Classification Search**  
USPC ... D10/49, 50, 70, 102, 104.1, 106.1, 106.6,  
D10/106.95; D13/158, 162, 168, 177,  
D13/184; D14/358, 168, 188  
CPC ..... B60R 25/1004; B60R 21/01516; B60R  
21/01512; B60R 2325/304; G08B  
21/0202; G08B 25/016; G08B 21/22;  
G08B 21/24; G08B 21/02; H05B  
37/0227; H05B 37/0236; H05B 37/0245;  
H05B 37/029; H05B 37/0272; H05B  
37/0281; H02J 13/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D596,962 S \* 7/2009 Okamoto ..... D10/50  
D688,960 S \* 9/2013 Santos ..... G02B 6/0021  
D10/70  
D764,335 S \* 8/2016 Thornton ..... D10/106.6

D782,349 S \* 3/2017 Konotopskyi ..... D10/106.6

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Pearne & Gordon LLP

(57) **CLAIM**

The ornamental design for a temperature control device, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom-front-right side perspective view of a first embodiment of a temperature control device, showing my new design;

FIG. 2 is a back view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a bottom-front-right side perspective view of a second embodiment of a temperature control device according to the invention;

FIG. 9 is a back view thereof;

FIG. 10 is a left side view thereof;

FIG. 11 is a front view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a bottom-front-right side perspective view of a third embodiment of a temperature control device according to the invention;

FIG. 16 is a back view thereof;

FIG. 17 is a left side view thereof;

FIG. 18 is a front view thereof;


FIG. 19 is a right side view thereof;

FIG. 20 is a top view thereof; and,

FIG. 21 is a bottom view thereof.

The material shown in broken lines is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 21 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21