



US00D796439S

(12) **United States Design Patent**
Nada et al.

(10) **Patent No.:** **US D796,439 S**

(45) **Date of Patent:** **** Sep. 5, 2017**

(54) **CONTROLLER FOR SERVOMOTOR**

(71) Applicant: **OMRON Corporation**, Kyoto-shi,
Kyoto (JP)

(72) Inventors: **Heita Nada**, Ritto (JP); **Hironori Kano**, Hirakata (JP); **Hitoshi Yonemaru**, Shiga (JP); **Takamichi Murakami**, Takaishi (JP); **Toshihiro Naruo**, Kyoto (JP)

(73) Assignee: **OMRON Corporation**, Kyoto (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/576,926**

(22) Filed: **Sep. 8, 2016**

(30) **Foreign Application Priority Data**

Mar. 15, 2016 (JP) 2016-005636

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/123; D13/162**

(58) **Field of Classification Search**
USPC D13/110, 123, 158, 160, 162, 162.1;
D14/188
CPC .. G05D 3/1409; G05D 3/1418; G05D 3/1427;
H02H 3/253; H02M 7/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D366,243 S *	1/1996	Kurokawa	D13/162
D366,244 S *	1/1996	Kurokawa	D13/162
D366,245 S *	1/1996	Kurokawa	D13/162
D366,867 S *	2/1996	Kurokawa	D13/162
D478,061 S *	8/2003	Abe	D14/188
D479,219 S *	9/2003	Abe	D14/188
D510,319 S *	10/2005	Tuomola	D13/110
D525,194 S *	7/2006	Nagai	D13/110

D609,195 S *	2/2010	Yamashita	D13/162
D621,350 S *	8/2010	Huang	D13/110
D621,351 S *	8/2010	Huang	D13/110
D623,592 S *	9/2010	Huang	D13/110
D631,436 S *	1/2011	Huang	D13/110
D724,051 S *	3/2015	Nakahira	D13/110
D724,052 S *	3/2015	Nakahira	D14/188

(Continued)

OTHER PUBLICATIONS

Heita Nada et al., Controller for Servomotor, Design U.S. Appl. No. 29/576,768, filed Sep. 7, 2016, in the USPTO.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Capitol City TechLaw



(57) **CLAIM**

The ornamental design for a controller for servomotor, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, and right side perspective view of a controller for servomotor showing our new design; FIG. 2 is a front, bottom, and left side perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a top view thereof; FIG. 8 is a bottom view thereof; and, FIG. 9 is a front, top, and right side perspective view wherein the cover thereof is opened. The even broken lines shown in the figures illustrate portions of the controller for servomotor that form no part of the claimed design. The uneven broken lines shown in the figures represent unclaimed boundaries.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D737,242 S * 8/2015 Nakahira D13/110
D758,969 S * 6/2016 Kato D13/123

OTHER PUBLICATIONS

Heita Nada et al., Controller for Servomotor, Design U.S. Appl. No. 29/576,911, filed Sep. 8, 2016, in the USPTO.
Heita Nada et al., Controller for Servomotor, Design U.S. Appl. No. 29/576,942, filed Sep. 8, 2016, in the USPTO.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9