



US00D796500S

(12) **United States Design Patent**  
**Yeom**

(10) **Patent No.:** **US D796,500 S**

(45) **Date of Patent:** **\*\* Sep. 5, 2017**

(54) **FLEXIBLE ELECTRONIC DEVICE**

(71) Applicant: **Lenovo (Beijing) Co., Ltd.**, Beijing (CN)

(72) Inventor: **Jihun Yeom**, Beijing (CN)

(73) Assignee: **LENOVO (BEIJING) CO., LTD.**, Beijing (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/535,529**

(22) Filed: **Aug. 7, 2015**

(30) **Foreign Application Priority Data**

Apr. 24, 2015 (CN) ..... 2015 3 0114692

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/341**

(58) **Field of Classification Search**

USPC ..... D14/341-347, 137, 138 R, 138 AA, D14/138 C, 138 G, 496, 203.1, 203.3, D14/203.4, 203.7, 129, 130, 147, 218, D14/248, 389, 388, 426, 420, 440; D10/65, 104.1; D18/6, 7; D21/324, 329, D21/330; 455/556.1, 556.2, 566, 575.1, 455/90.3; 379/433.04, 433.01, 433.06, 379/916; 345/173, 901, 905; 361/679.26, 670.3, 679.55, 679.56  
CPC .... H04M 1/00; H04M 11/066; H04M 1/2478; H04M 1/72519; H04M 2201/38; H04M 2250/22; G06F 15/00

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D306,294 S \* 2/1990 Watanabe ..... 379/433.01  
D315,731 S \* 3/1991 Watanabe ..... D14/138 AA

D372,579 S \* 8/1996 Lin ..... D3/247  
D410,773 S \* 6/1999 Case ..... D3/228  
D515,441 S \* 2/2006 Shindo ..... D10/65  
D533,214 S \* 12/2006 Oas ..... D18/7  
D541,779 S \* 5/2007 Chan ..... D14/138 AA  
D544,882 S \* 6/2007 Kurihara ..... D14/496  
D598,306 S \* 8/2009 Chernin ..... D10/65

(Continued)

*Primary Examiner* — Garth Rademaker

*Assistant Examiner* — Katie Stofko

(74) *Attorney, Agent, or Firm* — Oppedahl Patent Law Firm LLC

(57) **CLAIM**

The ornamental design for a flexible electronic device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a flexible electronic device showing our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a perspective view thereof;

FIG. 8 is a front view thereof, with the lower part bent;

FIG. 9 is a rear view thereof, with the lower part bent;

FIG. 10 is a left side view thereof, with the lower part bent;

FIG. 11 is a right side view thereof, with the lower part bent;

FIG. 12 is a top view thereof, with the lower part bent;


FIG. 13 is a bottom view thereof, with the lower part bent;

and,

FIG. 14 is a perspective view thereof, with the lower part bent.

The broken lines in the drawings illustrate portions of the flexible electronic device that form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D627,768 S \* 11/2010 Leung ..... D14/247  
D709,487 S \* 7/2014 Kang ..... D14/250  
D724,525 S \* 3/2015 Lee ..... D13/103  
D767,526 S \* 9/2016 Lee ..... D14/138 AB

\* cited by examiner




Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8






Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14