

US00D796518S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,518 S**
Song et al. (45) **Date of Patent:** **** Sep. 5, 2017**

(54) **STANDS FOR TELEVISION RECEIVER**

3/0219; G06F 3/0213; G06F 1/1616;
G06F 3/023; G06F 3/04883; G02F
1/13338; G02F 1/1313; G02F 1/1333;
G02F 1/135; G02F

(71) Applicants: **LG Display Co., Ltd.**, Seoul (KR);
Sookmyung Women's University
Industry Academic Cooperation,
Seoul (KR)

(Continued)

(72) Inventors: **Hyun Jin Song**, Jeonju-si (KR); **Ji**
Woon Min, Paju-si (KR); **Young Nam**
Lee, Incheon (KR); **Il Yong Kim**,
Daejeon (KR); **Jang Hyun Cho**, Seoul
(KR); **Heung Ryeol Kim**, Seoul (KR);
Chang Kuk You, Seoul (KR); **Eun**
Byul Ko, Seoul (KR)

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,354,773 A * 10/1982 Noack E01O 5/00
404/41
D463,409 S * 9/2002 Niitsu D14/239

(Continued)

(73) Assignees: **LG DISPLAY CO., LTD.**, Seoul (KR);
SOOKMYUNG WOMEN'S
UNIVERSITY INDUSTRY
ACADEMIC COOPERATION, Seoul
(KR)

Primary Examiner — Garth Rademaker

Assistant Examiner — Katie Stofko

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP

(**) Term: **15 Years**

(57) **CLAIM**

The ornamental design for a stand for television receiver, as
shown and described.

(21) Appl. No.: **29/563,105**

DESCRIPTION

(22) Filed: **May 2, 2016**

(30) **Foreign Application Priority Data**

Oct. 30, 2015 (KR) 30-2015-0054866

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/451**


(58) **Field of Classification Search**
USPC D14/371-382, 125-129, 335-337,
D14/447-452, 492, 239, 457, 439-441,
D14/432, 251-253; D8/349, 354, 363,
D8/373, 376, 380; 348/180, 184, 325,
348/739, 825; D12/407, 415; D3/218;
341/12

CPC G06F 3/0412; G06F 3/016; G06F 3/0488;
G06F 3/011; G06F 3/038; G06F 3/03543;
G06F 3/0338; G06F 3/0202; G06F

FIG. 1 is a perspective view of a stand for television receiver
showing our new design;
FIG. 2 is a front elevation view thereof, the rear elevation
view being identical thereto;
FIG. 3 is a left side elevation view thereof, the right side
elevation view being identical thereto;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a perspective view thereof, shown in an environ-
ment of use.

The evenly-spaced broken lines in FIG. 6 illustrating a
monitor represent environment, while the remaining evenly-
spaced broken lines in the drawings illustrate portions of the
stand for television receiver that form no part of the claimed
design. The dash-dot broken lines in the drawings illustrate
the boundary of the claimed design that form no part thereof.

1 Claim, 6 Drawing Sheets



(58) **Field of Classification Search**

CPC 1/132; G02F 1/133308; G02F 1/134309;
G02F 1/13718; G09G 3/3648; G06K
15/1252; B41J 2/465; G03F 7/70291;
G02B 27/0172; G02B 5/30; G02B
2027/0118; G02B 27/0101; F16M 13/02;
F16M 13/00; F16M 11/10; F16M 11/04;
F16M 2200/08; F16M 11/2021; A47B
88/044; A47B 2021/0335; H02G 3/126;
F16B 47/00; F16B 47/006; A47G 1/17;
A47K 2201/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D533,168 S	*	12/2006	Inoue	D14/239
D611,275 S	*	3/2010	Shimizu	D6/682
D617,801 S	*	6/2010	Chang	D14/451
D621,408 S	*	8/2010	Okoshi	D14/451
D665,451 S	*	8/2012	Dambricourt	D19/90
D680,088 S	*	4/2013	Park	D14/126
D688,253 S	*	8/2013	Cho	D14/447
D716,870 S	*	11/2014	Jungst	D19/91
D719,555 S	*	12/2014	Yoon	D14/239
D729,754 S	*	5/2015	Vats	D14/126
D771,826 S	*	11/2016	Pochman	D24/189

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

