



US00D796792S

(12) **United States Design Patent** (10) **Patent No.:** **US D796,792 S**
Fisher et al. (45) **Date of Patent:** **** Sep. 12, 2017**

(54) **SHIRT**

- (71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
- (72) Inventors: **Kimberly R. Fisher**, Beaverton, OR (US); **Sara C. Novotny**, Beaverton, OR (US); **Jonathon Riley**, Beaverton, OR (US)
- (73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/557,019**
- (22) Filed: **Mar. 4, 2016**
- (51) **LOC (10) Cl.** **02-02**
- (52) **U.S. Cl.**
USPC **D2/840**
- (58) **Field of Classification Search**
USPC D2/840, 841, 829, 731, 853, 708;
D29/101.4
CPC F21V 21/08
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 668,683 A * 2/1901 Johnson A41B 1/02
2/118
- D235,489 S * 6/1975 Spitz D2/829
- 4,328,533 A * 5/1982 Paredes A41D 13/01
2/102
- 4,412,357 A * 11/1983 Mincher A41D 13/0017
2/118
- D277,808 S * 3/1985 Nichols D10/109.1
- 4,802,469 A * 2/1989 Gollestani A61F 13/145
128/96.1
- 4,817,210 A * 4/1989 Aldridge A41D 27/04
2/246

(Continued)

OTHER PUBLICATIONS

Nightro Athletic LED Shirts Let You Safely Run at Night [online], [retrieved Nov. 30, 2016], Retrieved from Internet <URL: <http://crunchwear.com/nightro-athletic-led-shirts-let-safely-run-night/>>; 3 color sheets, Dated Nov. 17, 2014.

(Continued)

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for a shirt, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a shirt showing the new design in a first in-use non-illuminated state;
 FIG. 2 is a front perspective view thereof;
 FIG. 3 is a rear view thereof;
 FIG. 4 is a side view thereof;
 FIG. 5 is a second side view thereof;
 FIG. 6 is a top view thereof;
 FIG. 7 is a bottom view thereof;
 FIG. 8 is a rear perspective view of the shirt of FIG. 1-7 showing the new design in a second in-use illuminated state;
 FIG. 9 is a front perspective view thereof;
 FIG. 10 is a rear view thereof;
 FIG. 11 is a side view thereof;
 FIG. 12 is a second side view thereof;
 FIG. 13 is a top view thereof;
 FIG. 14 is a bottom view thereof; and,
 FIG. 15 is the rear view of FIG. 10 showing the new design in the second illuminated state with radiating lines to show the illumination thereof.

The grayscale shading in FIGS. 8-14 depict an illuminated state of the rectangular element. The broken lines immediately adjacent to the shaded area define the bounds of the claimed design and form no part thereof.

1 Claim, 15 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,924,362 A * 5/1990 Janko A01K 27/006
 362/108
 D316,924 S * 5/1991 Berberian D2/840
 5,567,040 A * 10/1996 Tabanera A45C 15/06
 362/103
 6,267,482 B1 * 7/2001 Miller A41D 13/01
 362/103
 6,782,554 B1 * 8/2004 Froehlich A41D 27/08
 2/115
 D641,133 S * 7/2011 Zarabi D2/708
 D664,739 S * 8/2012 Gibson A41D 27/08
 D2/840
 D670,033 S * 10/2012 Kusnier D29/101.4
 D691,348 S * 10/2013 Glaze D2/840
 D694,957 S * 12/2013 Barker D29/101.4
 D701,020 S * 3/2014 Passman D2/829
 8,919,982 B2 * 12/2014 Pulido, Jr. A43B 3/001
 362/103
 D725,826 S * 3/2015 Takeuchi D29/101.4
 D726,995 S * 4/2015 Garabedian D2/731
 9,206,977 B2 * 12/2015 Cain F21V 33/0008
 D753,900 S * 4/2016 Borovicka D2/829
 9,371,986 B2 * 6/2016 Nelson F21V 33/0008
 D764,142 S * 8/2016 Gallo D2/731
 9,427,027 B1 * 8/2016 Frierson A41D 27/205
 D768,938 S * 10/2016 Bien D29/101.1
 9,483,918 B2 * 11/2016 Uriarte G08B 5/004
 D779,164 S * 2/2017 Dehlsen D2/840
 D779,738 S * 2/2017 Chow D29/101.4

2006/0291193 A1 * 12/2006 Hill A41D 13/01
 362/108
 2008/0019120 A1 * 1/2008 Rapisarda A41D 27/085
 362/103
 2008/0080172 A1 * 4/2008 Mayo A41D 13/01
 362/106
 2010/0024100 A1 * 2/2010 Sokolowski A41D 1/002
 2/455
 2010/0058511 A1 * 3/2010 Lee A41D 27/085
 2/69
 2010/0124049 A1 * 5/2010 Fabian A41D 13/01
 362/108
 2010/0251453 A1 * 10/2010 Chen B60Q 1/2673
 2/69
 2015/0237926 A1 * 8/2015 Placanica A41D 13/0015
 2/115

OTHER PUBLICATIONS

Factory direct supply outdoor leisure AAA multicolor variety of low-voltage power supply 5050 LED light security clothing [online], [retrieved Nov. 30, 2016], Retrieved from Internet <URL:https://translate.googleusercontent.com/translate_c?spm=a261b.2187593.1998088710.42.E177Ck&depth=1&hl=en&prev=search&rurl=translate.google.com&sl=zh-CN&u=https://detail.1688.com/offer/41056704095.html&usg=ALkJrhgz139uekq2x6326eHEqzE15brK5A>>; 6 color sheets, published date unknown, but prior to the filing date of the present application.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15