



US00D797110S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,110 S**  
**Ko** (45) **Date of Patent:** **\*\* Sep. 12, 2017**

(54) **DISPLAY BASE**

(71) Applicant: **AmTRAN TECHNOLOGY CO., LTD**, New Taipei (TW)

(72) Inventor: **Hui-An Ko**, New Taipei (TW)

(73) Assignee: **AMTRAN TECHNOLOGY CO., LTD.**, New Taipei (TW)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/505,557**

(22) Filed: **Dec. 22, 2015**

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/451**

(58) **Field of Classification Search**  
USPC ..... D14/371-382, 125-129, 335-337, D14/447-452, 492, 239, 457, 439-441, D14/432, 251-253; D8/349, 354, 363, D8/373, 376, 380; 348/180, 184, 325, 348/739, 825; D12/407, 415; D3/218; 341/12

CPC ..... G06F 3/0412; G06F 3/016; G06F 3/0488; G06F 3/011; G06F 3/038; G06F 3/03543; G06F 3/0338; G06F 3/0202; G06F 3/0219; G06F 3/0213; G06F 1/1616; G06F 3/023; G06F 3/04883; G02F 1/13338; G02F 1/1313; G02F 1/1333; G02F 1/135; G02F 1/132; G02F 1/133308; G02F 1/134309; G02F 1/13718; G09G 3/3648; G06K 15/1252; B41J 2/465; G03F 7/70291; G02B 27/0172; G02B 5/30; G02B 2027/0118; G02B 27/0101; F16M 13/02; F16M 13/00; F16M 11/10; F16M 11/04; F16M 2200/08; F16M 11/2021; A47B 21/0314; A47B 88/044; A47B 2021/0335; H02G 3/126; F16B 47/00; F16B 47/006; A47G 1/17; A47K 2201/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,234,190 A *	8/1993	Cross .....	A47B 97/08 248/459
D562,811 S *	2/2008	Asanuma .....	D14/239
D564,471 S *	3/2008	Lee .....	D14/126
D587,715 S *	3/2009	Davis .....	D14/432
8,120,897 B2 *	2/2012	VanDuyen .....	F16M 11/10 248/917
D670,919 S *	11/2012	Shamoon .....	D6/312

(Continued)

*Primary Examiner* — Garth Rademaker

*Assistant Examiner* — Katie Stofko

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.

(57) **CLAIM**



The ornamental design for a “display base,” as shown and described.

**DESCRIPTION**

FIG. 1 is a top front right perspective view of a display base showing our new design;  
FIG. 2 is a top rear left perspective view thereof;  
FIG. 3 is bottom rear left perspective view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a right side elevational view thereof;  
FIG. 8 is a top view thereof;  
FIG. 9 is a bottom view thereof; and,  
FIG. 10 is top rear left perspective view thereof in a folded state.

The broken lines illustrating the monitor in FIGS. 1-10 show environment, while the remaining broken lines in FIGS. 1 and 10 illustrate portions of the display base. None of the broken lines form a part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D676,449 S *	2/2013	Probst .....	D14/440
D684,981 S *	6/2013	Chang .....	D14/451
D727,320 S *	4/2015	Lee .....	D14/371
D734,283 S *	7/2015	Mitsui .....	D14/126
D741,070 S *	10/2015	Martin .....	D14/375
D759,659 S *	6/2016	Lee .....	D14/451
2012/0006950 A1 *	1/2012	Vandiver .....	F16M 11/10 248/176.3

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10