



US00D797382S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,382 S**
Haelters et al. (45) **Date of Patent:** **** Sep. 12, 2017**

(54) **BOTTLE ASSEMBLY**

(71) Applicant: **MARTHA DOG COMPANY LLC**,
Irvine, CA (US)

(72) Inventors: **Yuka Midorikawa Haelters**,
Langhorne, PA (US); **Jessica Lee Hurwit**,
Cheshire, CT (US); **Donald Samuel Strum**,
Princeton, NJ (US); **Matthew Schmitt**,
Skillman, NJ (US); **Michael Edward Graves**,
Princeton, NJ (US)

(73) Assignee: **MARTHA DOG COMPANY LLC**,
Irvine, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/511,683**

(22) Filed: **Dec. 12, 2014**

(51) **LOC (10) Cl.** **30-03**

(52) **U.S. Cl.**
USPC **D30/132**; D9/573; D30/121

(58) **Field of Classification Search**
USPC D30/121-133; 119/61.56, 51.01, 61,
119/51.04, 53, 57.91, 54, 53.5, 52.4,
119/51.11, 63, 61.2, 52.1, 57.5, 57.6,
119/51.13, 62, 75, 500, 501, 72, 72.5, 74,
119/78-81, 51.5; 239/7, 687, 379, 397.5;
222/199, 181.1, 181.2, 185.1, 557, 156,
222/485, 486, 548, 555, 207, 205, 424,
222/438, 48, 206, 212, 215, 460, 461,
222/525, 86, 89, 175; 220/200, 227, 247,
220/262, 694, 700, 701, 703, 660-662,
220/521, 705, 709, 287, 523, 574, 6, 771,
220/737, 23.83, 212, 4.22, 847, 754;
221/174, 185.1, 289, 295, 296, 559;
454/35; 209/270, 283, 244; 52/194, 192;
49/279, 344, 357; D34/28; D9/573, 574,
D9/531, 549, 516, 523, 530, 538, 541,
D9/544, 559, 719, 716, 424, 426, 432,

D9/428, 431, 433, 739, 563; D7/300,
D7/300.1, 302-305, 312, 316, 317,
D7/507-512, 523, 524, 528, 700, 709,
D7/605, 620, 612, 619.1, 624.2, 624.3,
D7/550.1, 571, 587; D3/202, 132;
D15/143, 199; D28/4, 7, 9; D19/66;
141/343, 331, 340, 384, 330, 332, 383,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D29,092 S * 7/1898 Freeman D9/544
1,098,850 A * 6/1914 Steel A47J 41/0077
215/13.1

(Continued)

OTHER PUBLICATIONS

www.h2o4k9.com, "The Stainless Steel Water Bottle for Dogs",
Sep. 1, 2014, 2 pages.

(Continued)

Primary Examiner — Susan Moon Lee

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein &
Borun LLP


(57) **CLAIM**

The ornamental design for a bottle assembly, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view showing the bottle assembly;
FIG. 2 is a front plan view of the bottle assembly wherein
a back plan view of the bottle assembly is identical to this
front plan view;
FIG. 3 is a side elevation view of the bottle assembly;
FIG. 4 is a top plan view of the bottle assembly; and,
FIG. 5 is a bottom plan view of the bottle assembly.

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

USPC 141/311 R, 313, 338, 344, 345; 210/455;
 215/228, 231, 235, 319-383, 386, DIG. 7,
 215/388, 6, 12.1, 10, 13.1; 4/258, 259,
 4/267; 206/459.1, 459.5, 501, 45.23, 6,
 206/514, DIG. 10, 217, 543, 544, 546,
 206/549, 223, 241, 541, 518, 522, 557,
 206/591; 224/148.4, 148.7, 650, 604,
 224/148.16; 53/473; 29/428
 CPC . A01K 7/00; A01K 7/005; A01K 7/02; A01K
 7/022; A01K 7/06; A01K 39/0213; A01K
 39/02; A01K 5/0114; A01K 29/00; B65D
 41/26; B65D 41/265; B65D 41/28; B65D
 41/32; B65D 41/325; B65D 41/34; B65D
 41/56; B65D 51/20; B65D 51/249; B65D
 51/24; B65D 51/28; B65D 47/243; B65D
 2205/04; B65D 21/0238; B65D 81/3205;
 B65D 81/3216; B65D 71/50; B65D
 77/2024; B65D 43/0212; B65D
 2517/0049; B65D 2543/00046; B65D
 2543/00092; B65D 2543/00537; B65D
 2543/00731; B65D 2543/00796; B65D
 2577/205; A61J 9/00; A61J 9/006; A61J
 9/001; A61J 9/003; A61J 11/04; A61J
 19/00; B65B 39/00; B65B 39/001; B65B
 39/005; B65B 39/007; B67C 11/02; G01F
 11/286; B67B 7/28; A45F 3/18

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D49,292 S * 6/1916 West D26/128
 D50,182 S * 1/1917 Boyle, Sr. D3/202
 D73,643 S * 10/1927 Crimmel D9/562
 1,809,596 A * 6/1931 Nason A45F 3/16
 206/546
 D93,174 S * 8/1934 Mitzner D9/550
 D95,888 S * 6/1935 Adams D9/563
 D97,041 S * 10/1935 Desser 119/253
 D99,648 S * 5/1936 Mülhens D9/545
 D101,919 S * 11/1936 Leach D9/544
 2,100,894 A * 11/1937 Anderson B65D 7/02
 220/592.17
 2,101,414 A * 12/1937 Stevens A47J 33/00
 206/547
 D115,162 S * 6/1939 Smith D9/564
 2,180,561 A * 11/1939 Stevens A47J 33/00
 206/547
 D127,820 S * 6/1941 Tomasson D9/573
 D133,916 S * 9/1942 Robinson D3/202
 2,422,747 A * 6/1947 Prichard A45F 3/18
 106/182.1
 D173,879 S * 1/1955 Olifiers D9/571
 D178,630 S * 9/1956 Bloch D7/613
 D194,245 S * 12/1962 Yoshizumi D9/542
 D200,268 S * 2/1965 Lorenzen D9/574
 3,323,684 A * 6/1967 Durand et al. A45F 3/16
 210/474
 3,335,917 A * 8/1967 Knight A45F 3/16
 210/453
 D213,762 S * 4/1969 Weckham D9/672
 D228,281 S * 9/1973 Hoffman D9/529
 D237,588 S * 11/1975 Sharp D3/202
 D249,866 S * 10/1978 Felix D9/571
 4,140,254 A * 2/1979 Land A45F 3/18
 220/754
 D259,095 S * 5/1981 Benedict D9/450
 D259,292 S * 5/1981 Conrad D30/101
 D262,605 S * 1/1982 Grodin D9/570
 D265,291 S * 7/1982 Gould D9/535

D268,330 S * 3/1983 Aldrich, III D9/542
 4,815,607 A * 3/1989 Agapiou A63H 33/00
 206/457
 D308,128 S * 5/1990 Paquette 206/217
 D308,839 S * 6/1990 Pierce D11/157
 D315,296 S * 3/1991 De Giovellina D9/454
 D315,501 S * 3/1991 Durand D9/563
 D323,984 S * 2/1992 Hamilton D9/520
 D329,326 S * 9/1992 Sheehy D3/202
 D356,469 S * 3/1995 Musilli D3/202
 5,415,774 A * 5/1995 Cowan C02F 1/002
 210/266
 D370,834 S * 6/1996 Hartman D7/612
 D392,895 S * 3/1998 Kuzma D9/558
 D401,157 S * 11/1998 Gech D9/570
 D407,210 S * 3/1999 Lauth, III D3/202
 D407,320 S * 3/1999 Costen D9/544
 D408,623 S * 4/1999 Shaanan D3/202
 D413,432 S * 9/1999 Much D3/202
 D414,103 S * 9/1999 Crawford D9/542
 D419,890 S * 2/2000 Nosella D9/544
 D421,215 S * 2/2000 Crawford D9/542
 D432,007 S * 10/2000 Strand D9/625
 D433,623 S * 11/2000 Crawford D9/542
 D434,663 S * 12/2000 Jones D9/516
 D443,980 S * 6/2001 Stewart D3/202
 D450,247 S * 11/2001 Johnson D9/542
 D451,008 S * 11/2001 Crawford D9/560
 D471,086 S * 3/2003 Helleu D9/694
 D509,438 S * 9/2005 Woerz D9/563
 D510,461 S * 10/2005 Vu D28/66
 D533,303 S * 12/2006 Angeletta D28/7
 D546,692 S * 7/2007 Verburg D9/526
 D550,095 S * 9/2007 De Oliveira Neto D9/519
 D576,883 S * 9/2008 Carapelli D9/522
 D581,288 S * 11/2008 Villalobos D9/548
 D584,154 S * 1/2009 Fitzsimmons D7/590
 D585,303 S * 1/2009 Fitzsimmons D7/590
 D590,269 S * 4/2009 Pavone D28/7
 D597,848 S * 8/2009 Petzold D9/544
 D618,557 S * 6/2010 Jin D9/545
 D622,593 S * 8/2010 Toh D9/516
 D623,522 S * 9/2010 Toh D9/516
 D623,523 S * 9/2010 Toh D9/516
 D623,524 S * 9/2010 Toh D9/516
 D623,525 S * 9/2010 Toh D9/516
 D623,526 S * 9/2010 Toh D9/516
 D631,749 S * 2/2011 Toh D9/522
 D631,750 S * 2/2011 Toh D9/522
 D632,177 S * 2/2011 Toh D9/522
 D637,912 S * 5/2011 Van Den Wouwer D9/529
 D638,298 S * 5/2011 Toh D9/522
 D644,102 S * 8/2011 Kopulos D9/434
 D648,214 S * 11/2011 Gonzalez D9/434
 D649,045 S * 11/2011 Kopulos D9/434
 D649,063 S * 11/2011 Bakalis D9/544
 D649,453 S * 11/2011 Gonzalez D9/434
 D649,454 S * 11/2011 Gonzalez D9/434
 D656,402 S * 3/2012 Kopulos D9/449
 D656,407 S * 3/2012 Baussan D9/573
 D656,408 S * 3/2012 Baussan D9/572
 D657,680 S * 4/2012 Cora D9/521
 D659,003 S * 5/2012 Knox D9/444
 D660,168 S * 5/2012 Kopulos D9/543
 D661,994 S * 6/2012 Van Den Wouwer D9/529
 D668,776 S * 10/2012 Shanler D24/224
 D670,169 S * 11/2012 Victorino D9/526
 D673,049 S * 12/2012 Kopulos D9/529
 D673,857 S * 1/2013 Kopulos D9/543
 D678,780 S * 3/2013 Macleod Jones D9/563
 D724,437 S * 3/2015 Gaydon D9/545
 D742,240 S * 11/2015 Santos D9/544
 D770,290 S * 11/2016 Yourist D9/542
 D784,822 S * 4/2017 Yen D9/574
 2006/0049066 A1 * 3/2006 Wang A45F 3/16
 206/217

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0105678 A1* 5/2008 Regan A45F 3/18
220/200
2016/0165840 A1* 6/2016 Graves A01K 7/005
119/61.56
2017/0174382 A1* 6/2017 Korfonta B65D 1/0223

OTHER PUBLICATIONS

www.amazon.com, "Gulpy Water Dispensers", Sep. 1, 2014, 4 pages.

www.troffpouch.com, "Troff Hydration Pouch", Sep. 1, 2014, 2 pages.

www.amazon.com, "Collapsible Bowl", Sep. 1, 2014, 4 pages.

www.muttropolis.com, "Travel Dog Bowl", Sep. 1, 2014, 3 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5