



US00D797465S

(12) **United States Design Patent** (10) **Patent No.:** **US D797,465 S**  
**Pos** (45) **Date of Patent:** **\*\* \*Sep. 19, 2017**

(54) **SAFETY CHILD SEAT FIXED ON BASE**

8,820,836 B2 \* 9/2014 Stewart ..... A47C 1/12  
297/232

(71) Applicant: **CYBEX GMBH**, Bayreuth (DE)

D727,037 S \* 4/2015 Naslain ..... D6/333  
9,039,083 B2 \* 5/2015 Clement ..... B60N 2/2821  
297/256.13

(72) Inventor: **Martin Pos**, Bayreuth (DE)

D746,076 S \* 12/2015 Figueras Mitjans ..... D6/364

(\* ) Notice: This patent is subject to a terminal disclaimer.

9,227,537 B2 \* 1/2016 Cheng ..... B60N 2/2821  
2011/0233374 A1 \* 9/2011 Clement ..... B60N 2/2821  
248/542

(\*\*) Term: **15 Years**

2011/0233978 A1 \* 9/2011 Clement ..... B60N 2/2821  
297/256.13

(21) Appl. No.: **35/500,105**

2013/0307300 A1 \* 11/2013 Pos ..... B60N 2/2812  
297/216.12

(22) Filed: **May 15, 2015**

2014/0252814 A1 \* 9/2014 Cohen ..... B60N 2/2812  
297/183.1

(80) **Hague Agreement Data**

\* cited by examiner

Int. Filing Date: **May 15, 2015**

Int. Reg. No.: **DM/087201**

Int. Reg. Date: **May 15, 2015**

Int. Reg. Pub. Date: **Aug. 21, 2015**

*Primary Examiner* — Mary Ann Calabrese

(51) **LOC (10) Cl.** ..... **06-01**

(57) **CLAIM**

(52) **U.S. Cl.**

USPC ..... **D6/333**

The ornamental design for safety child seat fixed on a base, as shown and described.

(58) **Field of Classification Search**

USPC ..... D6/333, 334, 356, 364–366, 372–375,  
D6/708.19, 716, 716.1, 716.4, 716.19,  
D6/716.2

CPC .... A47C 1/12; A47C 1/14; A47C 1/16; A47C  
3/16; A47C 4/02; A47C 4/03; A47C 5/12;  
A47C 7/00; A47C 7/02; A47C 7/021;  
A47C 7/022; A47C 7/16; A47C 7/40;  
B60N 2/26; B60N 2/28; B60N 2/2803;  
B60N 2/2821; B60N 2/2842; B60N  
2/2884; B60N 2/30; B60N 2/44

See application file for complete search history.

**DESCRIPTION**

1. Safety child seat fixed on base

1.1 is a rear view.

1.2 is a bottom view.

1.3 is a front view.

1.4 is a right side view.

1.5 is a perspective view.

1.6 is a left side view.

1.7 is a top view.

In the drawings, the broken lines represent portions of the child seat that form no part of the claimed design.


(56) **References Cited**


**U.S. PATENT DOCUMENTS**

5,487,588 A \* 1/1996 Burleigh ..... B60N 2/2806  
297/250.1


7,097,245 B2 \* 8/2006 Barker ..... B60N 2/2803  
297/256.14

**1 Claim, 7 Drawing Sheets**







1.2





1.3





1.4





1.6

1.7

