



US00D797524S

(12) **United States Design Patent**
Zhang

(10) **Patent No.:** **US D797,524 S**

(45) **Date of Patent:** **** Sep. 19, 2017**

(54) **THERMALLY INSULATING MEMBER**

(71) Applicant: **LIAN YI DESIGN ENTERPRISE CO., LTD.**, Kaohsiung (TW)

(72) Inventor: **Shao-Wen Zhang**, Kaohsiung (TW)

(73) Assignee: **LIAN YI DESIGN ENTERPRISE CO., LTD.**, Kaohsiung (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/516,870**

(22) Filed: **Feb. 6, 2015**

(51) **LOC (10) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/624.2**

(58) **Field of Classification Search**
USPC D7/601, 602, 619.1, 620, 701, 708.1,
D7/624.1-624.3; D3/202, 229; D12/419,
D12/420; 220/737; 228/309.1, 310,
228/311.2, 313; 297/188.14, 188.18;
D9/434, 444, 455
CPC A47B 55/00; A47B 55/02; A47B 73/00;
A47B 73/002; A47B 73/004; A47B
73/006; A47B 73/008; A47B 69/00;
A47G 23/0266; B65D 81/18; B65D
81/3876; B65D 81/3886
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,261,307 A * 11/1941 Still E04B 1/80
112/441
- 3,781,183 A * 12/1973 Doll B29C 51/004
156/250
- D383,947 S * 9/1997 Schaefer 220/739
- 5,667,135 A * 9/1997 Schaefer A47G 23/0216
220/738
- D643,689 S * 8/2011 Selina D7/607
- D656,365 S * 3/2012 Bickert D7/523

- D657,202 S * 4/2012 Sanders D7/624.2
- D679,554 S * 4/2013 Molz D7/607
- D682,043 S * 5/2013 Sanders D7/624.2
- D686,041 S * 7/2013 Sanders D7/624.2
- D741,662 S * 10/2015 Steel D7/607
- 2008/0164270 A1 * 7/2008 Puerini B65D 81/3865
220/739
- 2015/0151895 A1 * 6/2015 Zhang B65D 81/3876
220/739

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.



(57) **CLAIM**

The ornamental design for a thermally insulating member, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a thermally insulating member showing my new design; FIG. 2 is a front elevational view of the first embodiment of the thermally insulating member; FIG. 3 is a top plan view of the first embodiment of the thermally insulating member; FIG. 4 is a right side elevational view of the first embodiment of the thermally insulating member; FIG. 5 is a bottom plan view of the first embodiment of the thermally insulating member; FIG. 6 is a rear elevational view of the first embodiment of the thermally insulating member; FIG. 7 is a left side elevational view of the first embodiment of the thermally insulating member; FIG. 8 is a reference view of the first embodiment of the thermally insulating member; FIG. 9 is a perspective view of a second embodiment of a thermally insulating member; and, FIG. 10 is a perspective view of a third embodiment of a thermally insulating member.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10